

Date: Thursday, 5/10/2007 2:31:48 PM
User: Kim Johnston

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services	Drawing Name : SPACEPOD ASSEMBLY RH/ DSI 9335
Job Number : 32297	
Estimate Number : 12779	
P.O. Number : <i>N/A</i>	Part Number : D350600242
This Issue : 5/10/2007 S.O. No. : <i>N/A</i>	Drawing Number : IIN REV.C PG11,18-21
Prsht Rev. : NC	Project Number : <i>N/A</i>
First Issue : <i>N/A</i> Type : SMALL /MED FAB	Drawing Revision : E, C
Previous Run : 31770	Material : <i>N/A</i>
Written By : <i>[Signature]</i>	Due Date : 5/30/2007 Qty: 1 Um: Each
Checked & Approved By : <i>[Signature] 07.05.10</i>	
Comment : Est Rev A 07.03.07 new issue EC	
est rev B 07.04.16 reformat, D3188 rev.E EC	

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

1.0	DC	DOCUMENT CONTROL
-----	----	------------------



Comment: DOCUMENT CONTROL

Photocopy bluefile and type labels as per PPP D350-600-242 CHG001

KS 07/05/10

2.0	32297A	SPACEPOD BODY RH
-----	--------	------------------



w/o 30041



Comment: Sub-Component SPACEPOD BODY RH

ml 07/05/22

3.0	32297B	SPACEPOD DOOR RH
-----	--------	------------------



w/o 30031



Comment: Sub-Component SPACEPOD DOOR RH

ml 07/05/22

4.0	D31872	Spacepod Floor
-----	--------	----------------



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Pick:

Qty	Part Number	Description	Batch
1	D3187-2	Floor	<i>B 25405</i>
1	D3186-4	Door (ref)	<i>B 30031</i>
1	D3188-2	Body(ref)	<i>B 30041</i>



ml 07/05/23

5.0	ALS41032130	Insert
-----	-------------	--------



Comment: Qty.: 28.0000 Each(s)/Unit Total : 28.0000 Each(s)

insert

batch: *1103495*

[Signature] 07/05/23

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 5/10/2007 2:31:48 PM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: SPACEPOD ASSEMBLY RH/ DSI 9335

Job Number: 32297

Part Number: D350600242

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

AN3235020935

WASHER



Comment: Qty.: 8.0000 Each(s)/Unit Total : 8.0000 Each(s)
Washer - Countersunk

17104156

CP 5/4/23 @

7.0

SMALL FAB 1

SMALL & MEDIUM FAB RESOURCE 1



Comment: SMALL & MEDIUM FAB RESOURCE 1

1-Transfer drill (#30) from D3187-1 into D3188-1.

2-Open holes in D3188-1 body floor to Ø0.297".

3-Install inserts in D3188-1 as per Dwg D3188.

4-Open holes in D3187-1 aluminum floor to 0.250" per dwg D3187

5-Deburr holes in D3187-1

ml 01/05/23

8.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

SB

07/05/23 (1)

9.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

*****D3187-1 floor only*****

Chemical Conversion Coat as per QSI 005 4.1

FL/BR

07/05/24 (1)

10.0

POWDER COATING

POWDER COATING



Comment: POWDER COATING

*****D3187-1 floor only*****

Powder Coat Black Sandtex (Ref: 4.3.5.7) as per QSI 005 4.3

HI

04-05-25 (1)

11.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

ml 01/05/28

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 5/10/2007 2:31:48 PM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: SPACEPOD ASSEMBLY RH/ DSI 9335

Job Number: 32297

Part Number: D350600242

Job Number:



Seq. #:

Machine Or Operation:

Description :

12.0

D2986

Black Neoprene foam .125



Comment: Qty.: 5.9010 sf(s)/Unit Total : 5.9010 sf(s)
neoprene foam
batch: B 30632

✓
ml 07/05/23

13.0

SMALL FAB 1

SMALL & MEDIUM FAB RESOURCE 1



Comment: SMALL & MEDIUM FAB RESOURCE 1

1-Cut D2986 Neoprene Foam per template D2986T1

ml 07/05/23

14.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

N/A
ml 07/05/23

15.0

D30153

Lock Nut



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
Lock Nut
batch: B 30169

16.0

D35547

BALL STUD



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
BALL STUD b 30210

17.0

AN960JD516

Washer



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
Washer
BATCH: B 31127 M103641

18.0

D35672

DECAL



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
DECAL
batch: M103641 B31128

ml 07/08/23

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 5/10/2007 2:31:48 PM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: SPACEPOD ASSEMBLY RH/ DSI 9335

Job Number: 32297

Part Number: D350600242

Job Number:



Seq. #:

Machine Or Operation:

Description :

19.0

D2237

Striker Plate



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Pick:

Batch:

B 31692

x2

m/07/05/24

20.0

MS20426AD45

Rivet



Comment: Qty.: 4.0000 Each(s)/Unit Total : 4.0000 Each(s)

Pick:

Batch:

M3459

21.0

D35381

HINGE BRACKET



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

HINGE BRACKET

batch:

B30866

22.0

D2179

Doubler



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Pick:

Batch:

B30630

23.0

AN526C832R24

screw



Comment: Qty.: 4.0000 Each(s)/Unit Total : 4.0000 Each(s)

Screw

batch:

M103574

24.0

AN960JD8

Washer



Comment: Qty.: 4.0000 Each(s)/Unit Total : 4.0000 Each(s)

Washer

batch:

M103585

25.0

MS21042L08

Nut



Comment: Qty.: 4.0000 Each(s)/Unit Total : 4.0000 Each(s)

Nut

batch:

M104118

E/B 07/05/230

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 5/10/2007 2:31:48 PM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: SPACEPOD ASSEMBLY RH/ DSI 9335

Job Number: 32297

Part Number: D350600242

Job Number:



Seq. #:

Machine Or Operation:

Description :

26.0

SMALL FAB 1

SMALL & MEDIUM FAB RESOURCE 1



Comment: SMALL & MEDIUM FAB RESOURCE 1

****This step seperates hardware, previous steps is for body & floor****

Handwritten signature and date: 5/10/07/05/23

27.0

MS270390811

Screw



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Screw

batch: *1103585*

28.0

AN960JD8

Washer



Comment: Qty.: 4.0000 Each(s)/Unit Total : 4.0000 Each(s)

Washer

batch: *1103585*

29.0

NAS1515H3

Washer



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Washer

batch: *1100993*

30.0

MS21042L08

Nut



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Nut

batch: *1104118*

31.0

D2464

3/4 Seal



Comment: Qty.: 11.3400 f(s)/Unit Total : 11.3400 f(s)

3/4 Seal

Cut 127.00" long batch: *B30681*

32.0

D35672

DECAL



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

DECAL

batch: *B31128*

Handwritten signature and date: 5/10/07/05/23

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 5/10/2007 2:31:48 PM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: SPACEPOD ASSEMBLY RH/ DSI 9335

Job Number: 32297

Part Number: D350600242

Job Number:



Seq. #:

Machine Or Operation:

Description :

33.0

D2586

Door Latch



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Door Latch

batch: B30880-

34.0

D2585

Latch Clamp



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Latch Clamp

batch: B30814-

35.0

D2621

Latch Plate



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Latch Plate

batch: B31111-

36.0

MS27039115

Screw



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Screw

batch: M102536-

37.0

AN960JD10

Washer



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Washer

batch: M104322-

38.0

MS21042L3

Nut



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Nut

batch: M103641-

39.0

D28571

Hinge Bracket



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Hinge Bracket

batch: ~~B31121~~ B30885-

JP 5/10/07/230

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 5/10/2007 2:31:48 PM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: SPACEPOD ASSEMBLY RH/ DSI 9335

Job Number: 32297

Part Number: D350600242

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

40.0	D28572	Hinge Bracket
------	--------	---------------



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
Hinge Bracket
batch: B30718

41.0	D2228	Backing Plate
------	-------	---------------



Comment: Qty.: 4.0000 Each(s)/Unit Total : 4.0000 Each(s)
Backing Plate
batch: B30679

42.0	AN526C832R10	Screw
------	--------------	-------



Comment: Qty.: 8.0000 Each(s)/Unit Total : 8.0000 Each(s)
Screw
batch: M103585

43.0	AN960JD8	Washer
------	----------	--------



Comment: Qty.: 12.0000 Each(s)/Unit Total : 12.0000 Each(s)
Washer
batch: M103585

44.0	MS21042L08	Nut
------	------------	-----



Comment: Qty.: 12.0000 Each(s)/Unit Total : 12.0000 Each(s)
Nut
batch: M104118

45.0	D35571	BRACKET
------	--------	---------



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
BRACKET
batch: B31126

46.0	AN526C832R14	Screw
------	--------------	-------



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)
Screw
batch: M9216

Handwritten signature: J. B. / 05/23 @

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: SPACEPOD ASSEMBLY RH/ DSI 9335

Job Number: 32297

Part Number: D350600242

Job Number:



Seq. #:

Machine Or Operation:

Description :

47.0

AN526C832R10

Screw



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Screw

batch: M103545-

07/05/23 @

48.0

SMALL FAB 1

SMALL & MEDIUM FAB RESOURCE 1



Comment: SMALL & MEDIUM FAB RESOURCE 1

Assemble D3186-1 door with D3188-1 body as per Dwg ICA-D350-600

Hardware on previous steps is for door ass'y*

1-Drill and plug section I-I and J-J of dwg D3188 p.11 using Hysol 934NA with milled fibres 10% to weight.

A/R Hysol batch: M104308 expire date: 12 dec 2007

A/R Milled fibres batch: M100859

2-Attach Neoprene Foam to floor using Contact Cement

A/R Contact Cement Batch: M102565

ml 07/05/28

49.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

2005-29 @

50.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Wing Walk Spacepod top surface of Pod as per Dwg D3188 & QSI 005 4.4

Batch: M104281

M-L 07/05/25

51.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: Inspect Wing Walk

ml 07/05/28

52.0

K10021

Spacepod Hardware Kit (-241)



Comment: Qty.: 1.0000 (s)/Unit Total : 1.0000 (s)

032423

53.0

QC4



INSPECT 100% KITS FOR COMPLETENESS



Comment: INSPECT 100% KITS FOR COMPLETENESS

N/A / (PC)

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
0705-29	S30	QC 4 at the end of kit pick. Remove from S3.0, perm. Change						

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 5/10/2007 2:31:48 PM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: SPACEPOD ASSEMBLY RH/ DSI 9335

Job Number: 32297

Part Number: D350600242

Job Number:



Seq. #:

Machine Or Operation:

Description :

54.0

D350600449

SWITCH RELOCATION KIT



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
SWITCH RELOCATION KIT

B 32369 X

55.0

D2985

Label



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
Label
batch: 63116 X

56.0

D35471

BRACKET



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
BRACKET
batch: B31124 X

57.0

D35501

STRUT



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
STRUT
batch: B 32480 X

58.0

D35527

CARBON STEEL GAS SPRING



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
CARBON STEEL GAS SPRING
batch: B 30638 X

59.0

D35547

BALL STUD



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
BALL STUD
batch: B30210 X

60.0

AN960JD516

Washer



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)
Washer
batch: M103641 X

EP 507/05/23 @

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: Q Date: 07/06/04
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 5/10/2007 2:31:48 PM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: SPACEPOD ASSEMBLY RH/ DSI 9335

Job Number: 32297

Part Number: D350600242

Job Number:



Seq. #:

Machine Or Operation:

Description :

61.0

D30153

Lock Nut



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Lock Nut

batch:

B30169

C/L 7/6/08 ①

E/B 7/6/08 230

62.0

QC4

INSPECT 100% KITS FOR COMPLETENESS



Comment: INSPECT 100% KITS FOR COMPLETENESS

C/L 7/6/08 ①

P 7/6/08 1

63.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and pack for shipping as per PPP D350-600-141

Location:

PPP Rev:

B

P 7/6/08 ①

E/B 7/6/08

64.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

7/6/04

11 7/6/08

Job Completion



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

3.4.5 After the paint has dried, apply the D2464-1250 neoprene seal where removed in earlier steps.

3.4.6 Cut out the rectangular section shown in Figures 14(a) and 14(b). Install the D2586 latch, D2588 mounting channel and D2621 latch plate that were removed earlier from the door using new hardware as shown in Figure 14(c).




FIGURE 14(a). D3186-1 SPACEPOD DOOR LATCH CUTOUT
(APPLICABLE FOR -041I-043I-141I-143 KITS)




FIGURE 14(b). D3186-2 SPACEPOD DOOR LATCH CUTOUT
(APPLICABLE FOR -042I-142 KITS)




FIGURE 14(c). LATCH INSTALLATION
(SHOWN WITH DOOR INSTALLED ON POD)

• COPYRIGHT © 2006 BY DART AEROSPACE LTD •
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: **C**

Date: 07.02.20

- 3.4.7 Position the D2857-1/2 hinge brackets as shown in Figure 15(a) for the LH side and Figure 15(b) for the RH side. Transfer drill the $\varnothing 0.172$ " mounting holes on each bracket to the **Spacepod™** door. Install the hinge brackets as shown in Section J-J.




FIGURE 15(a). HINGE BRACKET POSITION ON LH D3186-1 SPACEPOD DOOR





FIGURE 15(b). HINGE BRACKET POSITION ON RH D3186-2 SPACEPOD DOOR

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 3227



SECTION 'J-J' HINGE BRACKET INSTALLATION
(D2857-1 SHOWN; D2857-2 SIMILAR)

- 3.4.8 Install the D3557-1 bracket in the existing forward hinge mounting holes with the D2228 backing plates and the D3554-7 ball stud as shown in Figure 16.





FIGURE 16. BRACKET AND BALL STUD INSTALLATION ON SPACEPOD DOOR
(INSIDE OF D3186-1 SHOWN; D3186-2 OPPOSITE)



SECTION 'K-K'

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 32297

• COPYRIGHT © 2006 BY DART AEROSPACE LTD. •
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: **C**
Date: 07.02.20

- 3.4.9 Install the hinge brackets on the pod as shown in Figures 17(a) and 17(b):
- Assemble the D3538-1 hinge brackets with the D2857-1/-2 hinge brackets as shown in Figure 17(b). Position the door on the pod and transfer mark the mounting holes from the D3538-1 hinge brackets to the **Spacepod™** body.
 - Remove the door and drill Ø0.375" holes where marked. Remove the foam inner layer 0.250" around the hole between the inner and outer skins as shown in Figure 17(a).
 - Apply tape or an equivalent backer to the inner side of the holes to prevent epoxy filler from going through. Fill the cavity between the skins completely with Hysol 934NA mixed with milled glass fibers to in a ratio of 10:1 or Metalset A4. Allow the material to cure.
 - Reposition the **Spacepod™** door and hinges and transfer drill the Ø0.172" D3538-1 hinge bracket mounting holes to the pod.
 - Install the hinge brackets and **Spacepod™** door as shown in Figure 17(b).





FIGURE 17(a). COMPOSITE MODIFICATION



**FIGURE 17(b). HINGE BRACKET INSTALLATION
(D2857-1 SHOWN; D2857-2 OPPOSITE)**

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 32297

22

Date: Thursday, 5/10/2007 2:31:48 PM
User: Kim Johnston

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services Drawing Name : SPACEPOD ASSEMBLY RH/ DSI 9335
Job Number : 32297
Estimate Number : 12779
P.O. Number :
This Issue : 5/10/2007 S.O. No. :
Prsht Rev. : NC Part Number : D350600242
First Issue : 1/1 Type : SMALL /MED FAB Drawing Number : IIN REV.C PG11,18-21
Previous Run : 31770 Project Number : N/A
Material :
Due Date : 5/30/2007 Qty: 1 Um: Each
Written By :
Checked & Approved By : 07.05.10
Comment : Est Rev.A 07.03.07 new issue EC
est rev B 07.04.16 reformat, D3188 rev.E EC

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

1.0	DC	DOCUMENT CONTROL
-----	----	------------------



Comment: DOCUMENT CONTROL

Photocopy bluefile and type labels as per PPP D350-600-242 CHG001

07.05.11 *[Signature]*

2.0	32297A	SPACEPOD BODY RH
-----	--------	------------------



Comment: Sub-Component SPACEPOD BODY RH

3.0	32297B	SPACEPOD DOOR RH
-----	--------	------------------



Comment: Sub-Component SPACEPOD DOOR RH

4.0	D31872	Spacepod Floor
-----	--------	----------------



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Pick:

Qty Part Number Description Batch

1 D3187-2 Floor _____

1 D3186-4 Door (ref) _____

1 D3188-2 Body(ref) _____

REFERENCE ONLY

5.0	ALS41032130	Insert
-----	-------------	--------



Comment: Qty.: 28.0000 Each(s)/Unit Total : 28.0000 Each(s)

insert

batch: _____

Date: Thursday, 5/10/2007 2:31:54 PM
 User: Kim Johnston

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services	Drawing Name : SPACEPOD DOOR RH
Job Number : 32297B	
Estimate Number : 12636	
P.O. Number :	Part Number : D31864
This Issue : 5/10/2007 S.O. No. :	Drawing Number : D3186 REV.D
Prsht Rev. : NC	Project Number : N/A
First Issue : / / Type : SMALL /MED FAB	Drawing Revision : D
Previous Run : 31770B	Material :
Written By :	Due Date : 5/30/2007 Qty: 1 Um: Each
Checked & Approved By : <u>JA 07.05.10</u>	
Comment : Est Rev A New Issue 07-01-11 EC est rev.B revD 07.03.07 ec	

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

1.0	32297B01	SPACEPOD DOOR RH
-----	----------	------------------



w/o 30031



Comment: Sub-Component SPACEPOD DOOR RH

2.0	SMALL FAB 1	SMALL & MEDIUM FAB RESOURCE 1
-----	-------------	-------------------------------



PTO (2)

Comment: SMALL & MEDIUM FAB RESOURCE 1

1-Drill holes and cut out slots for latch as per dwg D3186 (D3186-4 detail)

ml 07/05/23 (1)

3.0	QC5	INSPECT WORK TO CURRENT STEP
-----	-----	------------------------------



20705-24 (P)

Comment: INSPECT WORK TO CURRENT STEP

4.0	PACKAGING 1	PACKAGING RESOURCE #1
-----	-------------	-----------------------



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: GA

ml 07/05/24

5.0	QC21	FINAL INSPECTION/W/O RELEASE
-----	------	------------------------------



Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



u 07/06/08

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			
07/05/23	2	The foam core in the door is not straight. (.950 to 1.200)"	<i>[Signature]</i> QS1042	open to size on the space pool body to accommodate the door.	<i>ml</i> 07/05/23	<i>[Signature]</i> 0705-23	<i>[Signature]</i> QS1042	<i>[Signature]</i> 0705-23
07/05/23	2	a small delamination on square for latch bottom between layers.	<i>[Signature]</i> QS1042	Use Hysol 934 N/A With milled fiber M104308 - 12 dec 2007 M100859	<i>ml</i> 07/05/23	<i>[Signature]</i> 0705-24	<i>[Signature]</i> QS1042	<i>[Signature]</i> 0705-24

NOTE: Date & initial all entries

DART


DESIGN DS	DRAWN BY LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED B	APPROVED H	DRAWING NO. D3186	REV. D SHEET 1 OF 5
DATE 07.02.22	TITLE SPACEPOD DOOR		SCALE NTS
A	03.03.27	NEW ISSUE	
B	06.09.25	DIMS UPDATED TO MATCH PRODUCT FOAM PATTERN UPDATED D3186-1M/-2M/-3/-4 ADDED	
C	06.12.13	REMOVED D0600-XXX LABELS	
D	07.02.22	UPDATE DIMENSIONS	

MAIN LAYUP

9 OZ SATIN (9 SQ FEET)
9 OZ SATIN (9 SQ FEET)
FOAM
9 OZ SATIN (9 SQ FEET)
12 OZ UNIDIRECTIONAL
9 OZ SATIN (9 SQ FEET)
RESIN (35-45% BY WEIGHT)
PEEL PLY

RELEASED

07.02.27

**D3186-1M SPACEPOD DOOR AS MOLDED****NOTES:**

- 1) USE MOLD DT8005 FOR DOOR LAYUP
- 2) RESIN: EPOCAST 50-A/9816 OR DERAKANE 470-36/411/510A40
- 3) FOAM: 3/8", A500 CORE-CELL OR DIVINYLCELL OR AIREX OR KLEGECELL
- 4) FIBRE: 9.7 OZ 7781 WEAVE "S" GLASS ("9 OZ SATIN")
12 OZ UNIDIRECTIONAL FIBERGLASS ("12 OZ UNIDIRECTIONAL")
- 5) LAMINATE PER DART QSI-006-4:0
- 6) LAMINATION SCHEDULE PER THIS DRAWING
- 7) FINISH INSIDE/OUTSIDE WITH DUPONT HIGHBUILD GREY PRIMER 1144-S
- 8) ALL DIMENSIONS ARE IN INCHES
- 9) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 32297B

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART


DESIGN DS	DRAWN BY LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D3186	REV. D SHEET 2 OF 5
DATE 07.02.22		TITLE SPACEPOD DOOR	SCALE NTS

MAIN LAYUP

9 OZ SATIN (9 SQ FEET)
9 OZ SATIN (9 SQ FEET)
FOAM
9 OZ SATIN (9 SQ FEET)
12 OZ UNIDIRECTIONAL
9 OZ SATIN (9 SQ FEET)
RESIN (35-45% BY WEIGHT)
PEEL PLY

RELEASED

07.02.27 [Signature]

**D3186-2M SPACEPOD DOOR AS MOLDED****NOTES:**

- 1) USE MOLD DT8006 FOR DOOR LAYUP
- 2) RESIN: EPOCAST 50-A/9816 OR DERAKANE 470-36/411/510A40
- 3) FOAM: 3/8", A500 CORE-CELL OR DIVINYCELL OR AIREX OR KLEGECELL
- 4) FIBRE: 9.7 OZ 7781 WEAVE "S" GLASS ("9 OZ SATIN")
12 OZ UNIDIRECTIONAL FIBERGLASS ("12 OZ UNIDIRECTIONAL")
- 5) LAMINATE PER DART QSI 006 4.0
- 6) LAMINATION SCHEDULE PER THIS DRAWING
- 7) FINISH INSIDE/OUTSIDE WITH DUPONT HIGHBUILD GREY PRIMER 1144-S
- 8) ALL DIMENSIONS ARE IN INCHES
- 9) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 32297B



Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN DS	DRAWN BY LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED JB	APPROVED H	DRAWING NO. D3186	REV. D SHEET 3 OF 5
DATE 07.02.22	TITLE SPACEPOD DOOR		SCALE NTS

REFER TO DETAIL 'C'
FOR HOLE DETAILS
(2 SETS)



NOTES:

- 1) ALL DIMENSIONS ARE IN INCHES
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 32297B

Copyright © 2003 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART


DESIGN DS	DRAWN BY LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED B	APPROVED H	DRAWING NO. D3186	REV. D SHEET 4 OF 5
DATE 07.02.22	TITLE SPACEPOD DOOR		SCALE NTS

RELEASED

07-02-27 H



D3186-2 SPACEPOD DOOR. RH
(MAKE FROM D3186-2M)



D3186-4 SPACEPOD DOOR. RH
(MAKE FROM D3186-2M)

NOTES:

- 1) ALL DIMENSIONS ARE IN INCHES
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 32297B

Copyright © 2003 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN DS	DRAWN BY LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D3186	REV. D SHEET 5 OF 5
DATE 07.02.22	TITLE SPACEPOD DOOR		SCALE NTS




DETAIL A




DETAIL B

RELEASED

07.02.27 [Signature]




DETAIL C




NOTE: ENSURE THAT CUTOUT IS PERPENDICULAR TO EDGE OF DOOR

DETAIL D



DETAIL E



DETAIL F

SHOP COPY
RETURN TO
ENGINEERING

UNCONTROLLED COPY
SUBJECT TO AMENDMENT

WITHOUT NOTICE

WORK ORDER

NO. 32297B

NOTES:

- 1) ALL DIMENSIONS ARE IN INCHES
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Date: Wednesday, 12/20/2006 1:46:07 PM
 User: Kim Johnston

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services	Drawing Name : SPACEPOD BODY RH
Job Number : 30041	
Estimate Number : 12596	
P.O. Number : <i>N/A</i>	Part Number : D31882M
This Issue : 12/20/2006 S.O. No. : <i>N/A</i>	Drawing Number : D3188 REV <i>BC</i> <i>UE</i> 07.01.18
Prsht Rev. : NC	Project Number : N/A
First Issue : <i>N/A</i> Type : PURCHASED PARTS	Drawing Revision : <i>BC</i> 07.01.18 <i>UE</i>
Previous Run : 30040	Material : <i>N/A</i>
Written By : _____	Due Date : 1/15/2007 Qty: 1 Um: Each
Checked & Approved By : <i>[Signature]</i> 061220	
Comment : Est Rev:A New issue ecn882 06-11-30 EC	

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
----------------	------------------------------	----------------------

1.0	D2213	Aluminum Spacer
-----	-------	-----------------



Comment: Qty.: 8.0000 Each(s)/Unit Total : 8.0000 Each(s)
 Ship To Delastek

8 D2213 Spacer Batch: *B30049* *C20610102* (8)

2.0	PG	PURCHASING
-----	----	------------

**Comment:** PURCHASING

Issue P/O: *2767* *C20612121* (1)
 Description: D3188-2M BODY
 SHIP: D2213 Spacers
 Supplier: Delastek
 Conformity Certificate and Process sheet required
 Ship 2 Items from Previous steps

3.0	D31882P	Spacepod Body
-----	---------	---------------



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
 Spacepod Body

4.0	PACKAGING 1	PACKAGING RESOURCE #1
-----	-------------	-----------------------

**Comment:** PACKAGING RESOURCE #1

Receive and inspect for transit damage. Ensure a copy of certification of conformity and process sheet from Delastek is attached.

C270/22

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes ☒ No ☐ DQA: ☒ _____ Date: 08/04

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Wednesday, 12/20/2006 1:46:07 PM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: SPACEPOD BODY_RH

Job Number: 30041

Part Number: D31882M

Job Number:



Seq. #:

Machine Or Operation:

Description :

5.0

QC6

DIMENSIONAL CHECK



Comment: DIMENSIONAL CHECK

Inspect dimensions as per Dwg D3188 .Visual inspection. Check for void spot and pins.

ml 07/05/22

6.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: *GA*

ml 07/05/22

7.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

10/26/04 (1)

Job Completion



W 07/06/08

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART

DESIGN	DRAWN BY	DART AEROSPACE LTD. HAWKESBURY, ONTARIO, CANADA		REV. C
JB	LE	DRAWING NO.	D3188	SHEET 1 OF 11
CHECKED PH	APPROVED PH	DATE	06.12.13	SCALE NTS
A	03.04.03	TITLE	SPACEPOD BODY	
B	06.10.06		NEW ISSUE	
C	06.12.13		UPDATED DWG TO MATCH PRODUCT ADDED D3188-1M/-2M/-3M/-5/-6/-7 REMOVED D0600-XXX LABELS	

GENERAL NOTES:

1. REFERENCE DIMENSIONS MATCH AIRCRAFT CONTOUR AND DOOR OPENING
2. LAMINATE PER DART QSI 006. LAMINATION SCHEDULE PER THIS DRAWING
3. MATERIALS:

RESIN: EPOCAST 50-A/9816 OR DERAKANE 470-36/411/510A40

FIBER: 9.7 oz 7781 WEAVE "S" GLASS (9 oz SATIN)
12 oz UNIDIRECTIONAL FIBERGLASS ("12 OZ UNIDIRECTIONAL")
18 oz ROVING "E" GLASS (18 oz CLOTH)
OWENS CORNING MILLED FIBERS, "E" GLASS
3M K20 GLASS BUBBLES

FOAM: A500 CORE CELL
OR DIVINYCELL
OR AIREX
OR KLEGECELL
FILL VOIDS IN FOAM WITH PASTE MADE FROM MILLED FIBERS & RESIN

4. MOLD SHEDULE:

<u>PART</u>	<u>LAYUP</u>	<u>TRIM AND DRILL</u>
D3188-1M/-1/-5	DT8003	DT8501
D3188-2M/-2/-6	DT8004	DT8502
D3188-3M/-3/-7	DT8500	DT8501






5. APPLY ANTI-SKID PAINT TO TOP SURFACE OF PODS PER QSI 005 4.4
6. FINISH: INSIDE/OUTSIDE WITH GREY DUPONT HIGHBUILD PRIMER 1144-S
7. ALL DIMENSIONS ARE IN INCHES
8. TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 30041

RELEASED
06.12.22



DESIGN JB	DRAWN BY LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED PH	APPROVED [Signature]	DRAWING NO. D3188	REV. C SHEET 2 OF 11
DATE 06.12.13	TITLE SPACEPOD BODY		SCALE NTS



D3188-1M SPACEPOD BODY

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 30041

RELEASED
06.12.2013


SEE SHEET #4 FOR SECTION VIEWS

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN JB	DRAWN BY <i>LE</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>PH</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3188	REV. C SHEET 3 OF 11
DATE 06.12.13		TITLE SPACEPOD BODY	SCALE NTS



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 3004

RELEASED
06.12.22


NOTE:
SEE SHEET #4 FOR SECTION VIEWS

Copyright © 2003 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART


DESIGN	JB	DRAWN BY	LE	DART AEROSPACE LTD
CHECKED	PH	APPROVED	PH	HAWKESBURY, ONTARIO, CANADA
DATE	06.12.13	DRAWING NO.	D3188	REV. C
TITLE	SPACEPOD BODY	SHEET 4 OF 11	SCALE	NTS




SECTION B-B
(SECTION C-C OPPOSITE)



SECTION A-A
(TYPICAL FLOOR SECTION)



SECTION D-D
(TYPICAL ROOF SECTION IS
SIMILAR BUT WITHOUT INSERTS)



SECTION E-E
(2 PLACES PER POD)

RELEASED
NO 20041
06.12.22


WORK ORDER
30041

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE



RELEASED
06.12.13

DESIGN	DRAWN BY	DART AEROSPACE LTD
JB	CE	HAWKESBURY, ONTARIO, CANADA
CHECKED	APPROVED	DRAWING NO.
PH	PH	D3188
DATE	TITLE	REV. C
06.12.13	SPACEPOD BODY	SHEET 5 OF 11
		SCALE
		NTS



NOTES:

- 1) REFERENCE DIMENSIONS REPRESENT HOLES WHICH ARE TRANSFER DRILLED FROM D3186-1 DOOR DURING ASSEMBLY
- 2) SEE SHEET #11 FOR SECTION VIEW


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 20044



DESIGN JB	DRAWN BY LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED PH	APPROVED [Signature]	DRAWING NO. D3188	REV. C SHEET 6 OF 11
DATE 06.12.13	TITLE SPACEPOD BODY		SCALE NTS

RELEASED
06.12.22

**D3188-2 SPACEPOD BODY
(MAKE FROM D3188-2M)**



- NOTES:
- 1) REFERENCE DIMENSIONS REPRESENT HOLES WHICH ARE TRANSFER DRILLED FROM D3186-2 DOOR DURING ASSEMBLY
 - 2) SEE SHEET #11 FOR SECTION VIEW

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 20041


Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.




DESIGN JB	DRAWN BY LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED PH	APPROVED H	DRAWING NO. D3188	REV. C SHEET 7 OF 11
DATE 06.12.13	TITLE SPACEPOD BODY		SCALE NTS

RELEASED
06.12.22



**D3188-3 SPACEPOD BODY
(MAKE FROM D3188-3M)**



NOTES:

- 1) REFERENCE DIMENSIONS REPRESENT HOLES WHICH ARE TRANSFER DRILLED FROM D3186-1 DOOR DURING ASSEMBLY
- 2) SEE SHEET #11 FOR SECTION VIEW

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 20041

Copyright © 2003 by DART AEROSPACE LTD



THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN JB	DRAWN BY LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED PH	APPROVED #	DRAWING NO. D3188	REV. C SHEET 8 OF 11
DATE 06.12.13	TITLE SPACEPOD BODY		SCALE NTS

RELEASED
06.12.22

D3188-5 SPACEPOD BODY
(MAKE FROM D3188-1M)



NOTES:

- 1) REFERENCE DIMENSIONS REPRESENT HOLES WHICH ARE TRANSFER DRILLED FROM D3186-3 DOOR DURING ASSEMBLY
- 2) SEE SHEET #11 FOR SECTION VIEWS

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. **30041**

Copyright © 2003 by DART AEROSPACE LTD



THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN JB	DRAWN BY LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED PH	APPROVED [Signature]	DRAWING NO. D3188	REV. C SHEET 9 OF 11
DATE 06.12.13	TITLE SPACEPOD BODY		SCALE NTS

RELEASED
06.12.22 [Signature]

D3188-6 SPACEPOD BODY
(MAKE FROM D3188-2M)



NOTES:

- 1) REFERENCE DIMENSIONS REPRESENT HOLES WHICH ARE TRANSFER DRILLED FROM D3186-4 DOOR DURING ASSEMBLY
- 2) SEE SHEET #11 FOR SECTION VIEWS

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 30041

Copyright © 2003 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN JB	DRAWN BY LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED PH	APPROVED [Signature]	DRAWING NO. D3188	REV. C SHEET 10 OF 11
DATE 06.12.13	TITLE SPACEPOD BODY		SCALE NTS

RELEASED
06.12.22

D3188-7 SPACEPOD BODY
(MAKE FROM D3188-3M)



NOTE:

- 1) REFERENCE DIMENSIONS REPRESENT HOLES WHICH ARE TRANSFER DRILLED FROM D3186-3 DOOR DURING ASSEMBLY
- 2) SEE SHEET #11 FOR SECTION VIEWS

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE

WORK ORDER
NO. 30041

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN JB	DRAWN BY LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED PH	APPROVED [Signature]	DRAWING NO. D3188	REV. C SHEET 11 OF 11
DATE 06.12.13	TITLE SPACEPOD BODY		SCALE NTS


RELEASED
06.12.22

INSTALL AKS7-1032-130
INSERTS (29 PLACES)
PER D3188-1T1 (D3188-1/-3/-5/-7)
OR D3188-2T1 (D3188-2/-6)

FOAM
(REF)



SECTION H-H
(TYPICAL FLOOR SECTION)



SECTION I-I
(SECTION J-J OPPOSITE)
(4 PLACES PER POD)

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 30041

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DELASTEK COMPOSITES INC.
2699, 5ième Avenue
Local 14, PORTE -A-
Grand-Mère, Québec G9T 5K7
Can **Fax (819) 533-3494 **

PACKING SLIP CERTIFICATE OF COMPLIANCE

Invoice #	11931
Customer #	DART

Telephone: (819) 533-5788

Warehouse: MAIN

Bill to:

Dart Aerospace Ltd.
1270, Aberdeen Street
Hawkesbury, Ontario K6A 1K7
Canada

Ship to:

Dart Aerospace Ltd.
1270, Aberdeen Street
Hawkesbury, Ontario K6A 1K7
Canada

Telephone: 613-632-3336

Contact: Linda Lacelle

Ship via		F.O.B.		Terms		Salesperson	
EPIC EXPRESS COLLECT		Origin		Net30 days		Claude Lessard, ext. 233	
Ship date	Order Date	Our PO #	Order by		Your PO #		GST/PST #
14/05/2007	21/12/2006	5092	C. Lavoie		PO00002767		
Order Qty	B.O. Qty	Current Ship.	Item #	Item Description			
1	0	1	DKC134-0052	D3186-1M Spacepod Door LH B30011 Dwg. Rév.: C Job: 41318 U de M : Each			
1	0	1	DKC134-0053	D3188-1M Spacepod Body LH B30021 Dwg. Rév.: C Job: 41300 U de M : Each			
1	0	1	DKC134-0054	D3186-2M Spacepod Door RH B30031 Dwg. Rév.: C Job: 41328 U de M : Each			
1	0	1	DKC134-0055	D3188-2M Spacepod Body RH B30041 Dwg. Rév.: C Job: 41309 U de M : Each			

It is hereby certified that all materials, process and finished items were controlled and tested in accordance with the requirements of the purchase order and applicable specifications. All such records are on file at our plant and available for review upon request.

☒ Cust. ☐ Adm. ☐ Quality ☐ Ship.

Accepted by:

Quality department

AQ-357



Date: Jeudi, 2007-03-29 10:33:15
 Utilisateur: Marc Dubé

Feuille de Procédé

Client :	DART	Dart Aerospace Ltd.	Nom Dessin :	SPACEPOD BODY
Numéro Job :	41309		Numéro Article :	DKC134-0055
Numéro Soumission :	2587		Numéro Dessin :	D3188
Numéro B.A. :			Projet Numéro :	DKC134
Cette fois :	2007-03-29	No. B.V. :	Révision dessin :	B
Dernière Rev. :	NC		Matériel :	Fibre 7781 et Résine 411-350
Rem. fois :	--	Type :	Date Due :	2007-04-05
Job précédente :	41100		Qté:	1 Udm: UNITE

Écrit par : _____
 Vérifié & Approuvé par : _____
 Commentaires : N° de pièce Dart Aerospace : D31882M



Process Sheet Rev.: 01 Modification générale selon les informations de l'ingénierie

Produit additionnel

Numéro Job:



Séq.: Machine ou Opération: Description :

1.0 AC0303 Frekote 44NC

 Commentair Qty.: 0.050 UNITE(s)/Unit Total : 0.050 UNITE(s)
 Frekote 44NC

2.0 PRÉPARATION 3 PRÉPARATION DU MATÉRIEL DART


 Commentair Setup: 0.00Hrs/ Run: 5.0000Min Total Run : 0.0833Hrs
 PRÉPARATION DU MOULE

Faire la préparation du moule N° DT 8004 à l'aide de Frekote 44NC et laisser sécher pendant 3 heures selon le QSI-006.

Date: 24/04/07 Heure Début: 12:30 Heure Fin: 3:00 Sceau:



3.0 AC0409 Tissu à délaminer Release ply B

 Commentair Qty.: 9.84 VERGE(s)/Unit Total : 9.84 VERGE(s)
 Tissu à délaminer Release ply B

4.0 AC0407 Wrightlon 5200 Bleu P3

 Commentair Qty.: 9.27 VERGE(s)/Unit Total : 9.27 VERGE(s)
 Wrightlon 5200 Bleu P3

5.0 AC0408 Feutre de drainage N° Airweave N 10

 Commentair Qty.: 6.00 VERGE(s)/Unit Total : 6.00 VERGE(s)
 Feutre de drainage N° Airweave N 10

6.0 AC0752 Stretchlon 200 poche à vide Vert

 Commentair Qty.: 7.00 VERGE(s)/Unit Total : 7.00 VERGE(s)
 Stretchlon 200 poche à vide Vert

Feuille de Procédé

Client: DART Dart Aerospace Ltd.

Nom Dessin: SPACEPOD BODY

Numéro Job: 41309

Numéro Article: DKC134-0055

Numéro Job:



# Séq.:	Machine ou Opération:	Description :
7.0	AAC0681	9.7 oz Weave #FG-778150-125Y Volan Finish

Commentair Qty.: 11.400 VERGE(s)/Unit Total : 11.400 VERGE(s)
9.7 oz Weave #FG-778150-125Y Volan Finish

8.0	AAC0443	Fiberglass 12 oz Unidirectional
-----	---------	---------------------------------

Commentair Qty.: 0.80 VERGE(s)/Unit Total : 0.80 VERGE(s)
Fiberglass 12 oz Unidirectional N° de Lot: 1-5964-1

9.0	AAC0633	WR1850 ROVING 18 OZ x 50"
-----	---------	---------------------------

Commentair Qty.: 0.35 VERGE(s)/Unit Total : 0.35 VERGE(s)
WR1850 ROVING 18 OZ x 50" N° de Lot: 1-5873-1

10.0	AC0098	Ruban à gommer jaune #: T/AT-200Y
------	--------	-----------------------------------

Commentair Qty.: 4.0000 RL(s)/Unit Total : 4.0000 RL(s)
Ruban à gommer jaune #: T/AT-200Y

11.0	PRÉPARATION 3	PRÉPARATION DU MATÉRIEL DART
------	---------------	------------------------------



Commentair Setup: 0.00Hrs/ Run: 45.0000Min Total Run : 0.7500Hrs
TAILLAGE DU MATÉRIEL

Tailler le matériel, selon les différents patrons de découpe et les quantités inscrites sur ceux-ci.

À fin d'accélérer le processus de taillage, tailler les plis de 9.7 oz tous en même temps en les superposants les uns sur les autres.

Date: 28/03/07 Heure Début: 12:30 Heure Fin: 3:30 Sceau:

12.0	AAC0275	Catalyst N° DDM-9
------	---------	-------------------

Commentair Qty.: 0.0640 PINTE(s)/Unit Total : 0.0640 PINTE(s)
Catalyst N° DDM-9 N° de Lot: 5921

13.0	AAC0324	Résine (411B7530) 411-350 promo. 75min.
------	---------	---

Commentair Qty.: 2.000 KILOGRAMME(s)/Unit Total : 2.000 KILOGRAMME(s)
Résine (411B7530) 411-350 promo. 75min. N° de Lot: 1-6105-1

14.0	AAC0673	Fibre de verre Miapoxy 66
------	---------	---------------------------

Commentair Qty.: 0.0039 GALLON(s)/Unit Total : 0.0039 GALLON(s)
Fibre de verre Miapoxy 66

N° de Lot: 1-5502-1

15.0	PRÉPARATION 3	PRÉPARATION DU MATÉRIEL DART
------	---------------	------------------------------



Commentair Setup: 0.00Hrs/ Run: 5.0000Min Total Run : 0.0833Hrs
PRÉPARATION DU MATÉRIEL

Faire la préparation de la résine selon les quantités requises, mix ration 1.5% de Catalyst N° DDM-9 par quantité de résine N° 411-350.

Date: Jeudi, 2007-03-29 10:33:16
Utilisateur: Marc Dubé

Feuille de Procédé

Cilient: DART Dart Aerospace Ltd.
Numéro Job: 41309

Nom Dessin: SPACEPOD BODY
Numéro Article: DKC134-0055

Numéro Job:



Séq.: Machine ou Opération: Description :

Préparer une seringue de 30 ml de résine chargée de fibre de verre miapoxy 66

Date: APR 25 2007 Heure Début: 3:15 Heure Fin: 3:20 Sceau:



16.0

LAMINAGE.

LAMINAGE PIÈCE DART



Commentair Setup: 0.00Hrs/ Run: 90.0000Min Total Run : 1.5000Hrs
FAIRE LE LAMINAGE DES TISSUS

À l'aide de la seringue, faire un joint tout le tour de la dénivellation pour la porte directement dans le moule.

À l'aide d'un rouleau 2" dia. appliquer une couche de résine N° 411-350 sur le moule N° DT 8004 et ensuite imbiber un pli de tissu 9.7oz. et 18 oz. sur la section supérieur de la pièce.

Laminage du 12 oz.

Recommencer l'opération pour le deuxième pli.

Date: APR 25 2007 Heure Début: 3:20 Heure Fin: 4:10 Sceau:



17.0

POCHE À VIDE 1

FAIRE LA POCHE À VIDE



Commentair Setup: 0.00Hrs/ Run: 20.0000Min Total Run : 0.3333Hrs
EFFECTUER LA POCHE A VIDE

Faire la poche à vide en appliquant les composantes dans l'ordre suivant:

- 1- Tissu à délaminer,
- 2- Film perforé P-3,
- 3- Feutre de drainage
- 4- Sac à vide Stretchlon 200

Laisser sécher pendant 4 heures minimum.

Date: APR 25 2007 Heure Début: 4:10 Heure Fin: 4:30 Sceau:



Curing Début: 3:20 PM Curing Fin: 8:00 AM

18.0

AAC0457

ATC core-cell A500 plain 4'x8' 1" thick

Commentair Qty.: 0.75 FEUILLE(s)/Unit Total : 0.75 FEUILLE(s)

ATC core-cell A500 plain 4'x8' 1" thick Selon dessin D3188 de Dart

N° de Lot: 3-5915-2

Feuille de Procédé

Client: DART Dart Aerospace Ltd.
Numéro Job: 41309Nom Dessin: SPACEPOD BODY
Numéro Article: DKC134-0055

Numéro Job:



Séq.: Machine ou Opération: Description :

19.0 FAB GÉNÉRALE 3 FABRICATION GÉNÉRALE DART

Commentair Setup: 0.00Hrs/ Run: 120.0000Min Total Run : 2.0000Hrs
TAILLAGE DU MATÉRIEL

Tailler le Foam Core 1" selon le plan de découpe et les gabarits

APR 26 2007

Date: 8:00

Heure Début: 10:00

Heure Fin:



Sceau:

20.0 AAC0324 Résine (411B7530) 411-350 promo. 75min.

Commentair Qty.: 0.200 KILOGRAMME(s)/Unit Total : 0.200 KILOGRAMME(s)
Résine (411B7530) 411-350 promo. 75min.

N° de Lot: 1-6/05-1

21.0 AAC0275 Catalyst N° DDM-9

Commentair Qty.: 0.0064 PINTE(s)/Unit Total : 0.0064 PINTE(s)
Catalyst N° DDM-9

N° de Lot: 1-5921-3

22.0 FINITION 3 FINITION PIÈCE DART

Commentair Setup: 0.00Hrs/ Run: 0.0000Min Total Run : 0.0000Hrs
FINITION PIÈCE DART

APR 26 2007

Prendre les deux pièces de 11" x 57" et sceller la grande surface sur chacune d'elle selon I.G. # Sceller le
Foam Core.

23.0 AAC0452 Polybond B46F

Commentair Qty.: 0.010 KIT(s)/Unit Total : 0.010 KIT(s)
Polybond B46F

N° de Lot: 5979

24.0 FINITION 3 FINITION PIÈCE DART

Commentair Setup: 0.00Hrs/ Run: 0.0000Min Total Run : 0.0000Hrs
FINITION PIÈCE DART

À l'aide du Polybond, coller ensemble les deux surfaces scellées

Disposer des point sur les pièces pour conserver une pression de collage.

Laisser sécher pour un minimum de deux heures.

Quantité: 1

Date: APR 26 2007

Sceau:



Date: Jeudi, 2007-03-29 10:33:16
Utilisateur: Marc Dubé

Feuille de Procédé

Client: DART Dart Aerospace Ltd.
Numéro Job: 41309

Nom Dessin: SPACEPOD BODY
Numéro Article: DKC134-0055

Numéro Job:



Séq.: Machine ou Opération: Description :

Quantité: _____ Date: _____ Sceau: _____

25.0

TRIMAGE 3

TRIMAGE COMPOSITES DART



Commentair Setup: 0.00Hrs/ Run: 0.0000Min Total Run : 0.0000Hrs
TRIMAGE COMPOSITES DART

Ajuster à l'aide du thermoformeur 4" x 8" chacune des pièces de foam core dans le moule selon le dessin.

Quantité: 1 Date: APR 26 2007 Sceau: _____



Quantité: _____ Date: _____ Sceau: _____

26.0

AAC0324

Résine (411B7530) 411-350 promo. 75min.

Commentair Qty.: 0.300 KILOGRAMME(s)/Unit Total : 0.300 KILOGRAMME(s)
Résine (411B7530) 411-350 promo. 75min.

N° de Lot: 1-6105-1

27.0

AAC0275

Catalyst N° DDM-9

Commentair Qty.: 0.0096 PINTE(s)/Unit Total : 0.0096 PINTE(s)
Catalyst N° DDM-9

N° de Lot: 1-5921-3

28.0

PRÉPARATION 3

PRÉPARATION DU MATÉRIEL DART



Commentair Setup: 0.00Hrs/ Run: 10.0000Hrs Total Run : 10.0000Hrs
PRÉPARATION DU MATÉRIEL DART

Faire la préparation de la résine selon les quantité requises, mix ration 1.5% de Catalyst N° DDM-9 par
quantité de résine N° 411-350 promu 75 minutes..

29.0

FAB GÉNÉRALE 3

FABRICATION GÉNÉRALE DART



Commentair Setup: 0.00Hrs/ Run: 20.0000Hrs Total Run : 20.0000Hrs
FABRICATION GÉNÉRALE PLASTIC COMMERCIAL

Retirer les pièces de foam core du moule

Sceller les foam core à l'aide de la résine promu N° 411-350 75 minutes. Selon I.G.# Sceller le foam Core.

Laisser sécher pendant 2 heures minimum.

Date: APR 26 2007

Sceau: _____



Initiales: _____



Date: Jeudi, 2007-03-29 10:33:16

Utilisateur: Marc Dubé

Feuille de Procédé

Client: DART Dart Aerospace Ltd.

Nom Dessin: SPACEPOD BODY

Numéro Job: 41309

Numéro Article: DKC134-0055

Numéro Job:



Séq.: Machine ou Opération: Description :

30.0 AAC0452 Polybond B46F

Commentaire Qty.: 0.078 KIT(s)/Unit Total: 0.078 KIT(s)
Polybond B46F N° de Lot: 6979

31.0 PRÉPARATION 3 PRÉPARATION DU MATÉRIEL DART

Commentaire Setup: 0.00Hrs/ Run: 5.0000Min Total Run: 0.0833Hrs
PRÉPARATION DU MATÉRIEL

Faire la préparation du Poly bond.

Date: APR 27 2007

Heure Début: 10:15

Heure Fin: 10:25

Sceau:



32.0 ASSEMBLAGE 3 ASSEMBLAGE GÉNÉRALE DART

Commentaire Setup: 0.00Hrs/ Run: 60.0000Min Total Run: 1.0000Hrs
ASSEMBLAGE GÉNÉRALE DES PIÈCES

Coller les différents pièces de Foam Core dans les Spacepod Body à l'aide du Poly bond.

Date: APR 27 2007

Heure Début: 10:25

Heure Fin: 11:00

Sceau:



33.0 POCHÉ À VIDE 1 FAIRE LA POCHÉ À VIDE

Commentaire Setup: 0.00Hrs/ Run: 20.0000Min Total Run: 0.3333Hrs
EFFECTUER LA POCHÉ A VIDE

Faire la poche à vide en appliquant les composantes dans l'ordre suivant:

- 1- Tissu à délaminer,
- 2- Film perforé P-3,
- 3- Feutre de drainage
- 4- Sac à vide Stretchlon 200

Laisser sécher pendant 2 heures minimum.

Retirer le bagging entre 1 heure et 1 heure 1/2 après le mélange de la résine afin d'enlever le surplus de polybond avant que celui-ci ne soit complètement polymérisé.

Date: APR 27 2007

Heure Début: 11:00

Heure Fin: 11:15

Sceau:



Curing Début: 10:25

Curing Fin: 11:40

Feuille de Procédé

Client: DART Dart Aerospace Ltd.
Numéro Job: 41309

Nom Dessin: SPACEPOD BODY
Numéro Article: DKC134-0055

Numéro Job:



Séq.: Machine ou Opération: Description:

34.0 AC0058 Polysoft 1.3 kg # 003012 Sikkens

Commentair Qty.: 0.100 UNITE(s)/Unit Total: 0.100 UNITE(s)
Polysoft 1.3 kg # 003012 Sikkens

N° de Lot: 1-6079-1

35.0 AC0059 Durcisseur Polysoft #004009 Sikkens

Commentair Qty.: 0.078 UNITE(s)/Unit Total: 0.078 UNITE(s)
Durcisseur Polysoft #004009 Sikkens

36.0 FINITION 3 FINITION PIÈCE DART



Commentair Setup: 0.00Hrs/ Run: 30.0000Min Total Run: 0.5000Hrs
FINITION GÉNÉRALE

Corriger les petits défauts de surface de la pièce avec du Sikkens. Pour les plus gros défauts utiliser du polybond

Date: APR 3 0 2007 Heure Début: 12:30 Heure Fin: 4:30 Sceau:



37.0 TRIMAGE 3 TRIMAGE COMPOSITES DART



Commentair Setup: 0.00Hrs/ Run: 0.0000Min Total Run: 0.0000Hrs
TRIMAGE COMPOSITES DART

APR 3 0 2007



Tailler le foam core afin d'ajuster le contour de la pièce à celui du moule.

38.0 AAC0324 Résine (411B7530) 411-350 promo. 75min.

Commentair Qty.: 0.100 KILOGRAMME(s)/Unit Total: 0.100 KILOGRAMME(s)
Résine (411B7530) 411-350 promo. 75min.

N° de Lot: 1-6105-1

39.0 AAC0275 Catalyst N° DDM-9

Commentair Qty.: 0.0032 PINTE(s)/Unit Total: 0.0032 PINTE(s)
Catalyst N° DDM-9

N° de Lot: 1-5921-3

40.0 FINITION 3 FINITION PIÈCE DART



Commentair Setup: 0.00Hrs/ Run: 0.0000Min Total Run: 0.0000Hrs
FINITION PIÈCE DART

Sceller le foam core qui a été exposé suite au taillage précédent selon I.G. # Sceller le Foam Core

Laisser sécher pendant minimum deux heures.

MAY 0 1 2007



Date: Jeudi, 2007-03-29 10:33:16

Utilisateur: Marc Dubé

Feuille de Procédé

Client: DART Dart Aerospace Ltd.

Nom Dessin: SPACEPOD BODY

Numéro Job: 41309

Numéro Article: DKC134-0055

Numéro Job:



Séq.: Machine ou Opération: Description :

41.0 AAC0275 Catalyst N° DDM-9

Commentair Qty.: 0.0504 PINTE(s)/Unit Total: 0.0504 PINTE(s)
Catalyst N° DDM-9

N° de Lot: 1-5921-3

42.0 AAC0324 Résine (411B7530) 411-350 promo. 75min.

Commentair Qty.: 1.500 KILOGRAMME(s)/Unit Total: 1.500 KILOGRAMME(s)
Résine (411B7530) 411-350 promo. 75min.

N° de Lot: 1-6105-1

43.0 PRÉPARATION 3 PRÉPARATION DU MATÉRIEL DART

Commentair Setup: 0.00Hrs/ Run: 5.0000Min Total Run: 0.0833Hrs
PRÉPARATION DU MATÉRIELFaire la préparation de la résine selon les quantité requises, mix ration 1.5% de Catalyst N° DDM-9 par
quantité de résine N° 411-350.

Date: MAY 01 2007 Heure Début: 3:15 Heure Fin: 3:20 Sceau:



44.0 INSPECTION 3 INSPECTION PIÈCE DART

Commentair Setup: 0.00Hrs/ Run: 90.0000Min Total Run: 1.5000Hrs
FAIRE LE LAMINAGE DES TISSUS

Laminer deux pli de 9.7 oz 7781 partout dans le moule.

Le laminage doit être fait à l'aide de la résine N° 411-350 / 2% DDM-9.

Date: MAY 01 2007 Heure Début: 3:20 Heure Fin: 4:10 Sceau:



45.0 POCHE À VIDE 1 FAIRE LA POCHE À VIDE

Commentair Setup: 0.00Hrs/ Run: 20.0000Min Total Run: 0.3333Hrs
EFFECTUER LA POCHE A VIDE

Faire la poche à vide en appliquant les composantes dans l'ordre suivant:

- 1- Tissu à délaminer,
- 2- Film perforé P-3,
- 3- Feutre de drainage
- 4- Sac à vide Stretchlon 200

Laisser sécher pendant 4 heures minimum.

Date: Jeudi, 2007-03-29 10:33:16

Utilisateur: Marc Dubé

Feuille de Procédé

Client: DART Dart Aerospace Ltd.

Nom Dessin: SPACEPOD BODY

Numéro Job: 41309

Numéro Article: DKC134-0055

Numéro Job:



Séq.: Machine ou Opération:

Description:

Date: MAY 01 2007 Heure Début: 4:10 Heure Fin: 4:30 Sceau:



Curing Début: 3:20 Curing Fin: 8:00

46.0 DÉMOULAGE 1

DÉMOULAGE PIÈCE DART



Commentaire Setup: 0.00Hrs/ Run: 30.0000Min Total Run : 0.5000Hrs

DÉMOULAGE DES PIECES

Démouler la pièce en se servant de la prise d'air sous le moule en faisant bien attention de ne pas abimer les différentes surfaces de la pièce.

Date: MAY 02 2007 Heure Début: 10:15 Heure Fin: 10:30 Sceau:



47.0 TRIMAGE 3

TRIMAGE COMPOSITES DART



Commentaire Setup: 0.00Hrs/ Run: 60.0000Min Total Run : 1.0000Hrs

TRIMAGE DE FINITION

Perçer les 8 trous sur la section supérieur de la pièce ainsi que l'ouverture pour la porte à l'aide du gabarit N° DT5802.

Par l'intérieur, perçer les 8 dégagement de ø .745" pour les spacers N° D2213 (ne pas perçer la peau extérieur de la pièce)

Date: MAY 02 2007 Heure Début: 1:30 Heure Fin: 2:30 Sceau:



48.0 AAC0275

Catalyst N° DDM-9

Commentaire Qty.: 0.0048 PINTE(s)/Unit Total : 0.0048 PINTE(s)

Catalyst N° DDM-9

N° de Lot: 1-5921-3

49.0 AAC0324

Résine (411B7530) 411-350 promo. 75min.

Commentaire Qty.: 0.150 KILOGRAMME(s)/Unit Total : 0.150 KILOGRAMME(s)

Résine (411B7530) 411-350 promo. 75min.

N° de Lot: 1-6105-1

50.0 AAC0673

Fibre de verre Miapoxy 66

Commentaire Qty.: 0.0420 GALLON(s)/Unit Total : 0.0420 GALLON(s)

Fibre de verre Miapoxy 66

N° de Lot: 1-5502-1

Date: Jeudi, 2007-03-29 10:33:16
Utilisateur: Marc Dubé

Feuille de Procédé

Client: DART Dart Aerospace Ltd.
Numéro Job: 41309

Nom Dessin: SPACEPOD BODY
Numéro Article: DKC134-0055

Numéro Job:



Séq.: Machine ou Opération: Description :

51.0 PRÉPARATION 3 PRÉPARATION DU MATÉRIEL DART



Commentaire Setup: 0.00Hrs/ Run: 5.0000Min Total Run : 0.0833Hrs
PRÉPARATION DU MATÉRIEL

Faire la préparation de la résine selon les quantités requises, mix ratio 1.5% de Catalyst N° DDM-9 par quantité de résine N° 411-350.

Date: MAY 04 2007 Heure Début: 10:15 Heure Fin: 10:20 Sceau:

52.0 AAC0448 Spacer N° D2213

Commentaire Qty.: 8 UNITE(s)/Unit Total.: 8 UNITE(s)
Spacer N° D2213 N° de Lot: 1-5949-1

53.0 ASSEMBLAGE 3 ASSEMBLAGE GÉNÉRALE DART



Commentaire Setup: 0.00Hrs/ Run: 45.0000Min Total Run : 0.7500Hrs
ASSEMBLAGE GÉNÉRALE DES PIÈCES

Faire l'assemblage des inserts (Spacer) N° D2213 dans les trous prévus à cet effet à l'aide de résine N° 411-350 chargé à l'aide de Fibre de verre courte Miapoxy 66.

Laminer un pièce de 9 oz. sur chacune des 2 zones de 4 spacers pour reboucher les trous

Appliquer une pression sur les pièces de 9 oz à l'aide d'un bloc de bois et de pinces autobloquantes

Laisser sécher pendant 4 heures minimum.

Date: MAY 04 2007 Heure Début: 10:20 Heure Fin: 11:00 Sceau:

Curing Début: 10:20 Curing Fin: 4:00

54.0 AAC0275 Catalyst N° DDM-9

Commentaire Qty.: 0.0096 PINTE(s)/Unit Total: 0.0096 PINTE(s)
Catalyst N° DDM-9

N° de Lot: 1-5921-3

55.0 AAC0324 Résine (411B7530) 411-350 promo. 75min.

Commentaire Qty.: 0.300 KILOGRAMME(s)/Unit Total: 0.300 KILOGRAMME(s)
Résine (411B7530) 411-350 promo. 75min.

N° de Lot: 1-6105-1

Date: Jeudi, 2007-03-29 10:33:16

Utilisateur: Marc Dubé

Feuille de Procédé

Client: DART Dart Aerospace Ltd.

Nom Dessin: SPACEPOD BODY

Numéro Job: 41309

Numéro Article: DKC134-0055

Numéro Job:



Séq.: Machine ou Opération: Description:

56.0 PRÉPARATION 3 PRÉPARATION DU MATÉRIEL DART



Commentaire Setup: 0.00Hrs/ Run: 5.0000Min Total Run : 0.0833Hrs

PRÉPARATION DU MATÉRIEL

Faire la préparation de la résine selon les quantités requises, mix ratio 1.5% de Catalyst N° DDM-9 par quantité de résine N° 411-350.

Date: MAY 03 2007

Heure Début: 10:15

Heure Fin: 10:20

Sceau:



57.0 LAMINAGE. LAMINAGE PIÈCE DART



Commentaire Setup: 0.00Hrs/ Run: 55.0000Min Total Run : 0.9167Hrs

FAIRE LE LAMINAGE DES TISSUS

Retirer les pinces et blocs de bois

Faire le laminage d'un pli de 9.7 oz 7781 sur le contour de la pièce. Selon le dessin.

Laisser sécher pendant 4 heures minimum.

Date: MAY 03 2007

Heure Début: 10:20

Heure Fin: 11:20

Sceau:



Curing Début: 10:20

Curing Fin: 8:00

58.0 FINITION 3 FINITION PIÈCE DART



Commentaire Setup: 0.00Hrs/ Run: 0.0000Min Total Run : 0.0000Hrs

FINITION PIÈCE DART

Repercer les 8 trous des spacers afin de les déboucher

MAY 07 2007



Sabler les surfaces de la pièce pour aider à l'adhésion du primer et enlever les imperfections

08-5-07



59.0 AAC0671 Dupont Primer N° 1104S

Commentaire Qty.: 0.5000 GALLON(s)/Unit Total : 0.5000 GALLON(s)

Dupont Primer N° 1104S

N° de Lot: 1-1005-2

60.0 AAC0670 Dupont Activator N° 7975S

Commentaire Qty.: 1.0000 PINTE(s)/Unit Total : 1.0000 PINTE(s)

Dupont Activator N° 7975S

N° de Lot: 1-1005-1

Feuille de Procédé

Client: DART Dart Aerospace Ltd.
 Numéro Job: 41309

Nom Dessin: SPACEPOD BODY
 Numéro Article: DKC134-0055

Numéro Job:



Séq.: Machine ou Opération: Description :

61.0 AAC0672 Dupont Reducer N° 12375S

Commentaire Qty.: 0.1250 GALLON(s)/Unit Total : 0.1250 GALLON(s)
 Dupont Reducer N° 12375S

N° de Lot: 1-5692-2

62.0 PRÉPARATION 3 PRÉPARATION DU MATÉRIEL DART



Commentaire Setup: 0.00Hrs/ Run: 0.0000Hrs Total Run : 0.0000Hrs
 PRÉPARATION DU MATÉRIEL DART

Nettoyages Qty 1 08-05-07



MAY 08 2007



Bien brasser les trois contenants servant à faire le mélange du primer gris N° 1104S et ensuite faire le mélange selon les instruction du fabricant.

63.0 PEINT/ PRIMER2 PEINTURE / PRIMER DART



Commentaire Setup: 0.00Hrs/ Run: 0.0000Min Total Run : 0.0000Hrs
 PEINTURE / PRIMER DART

Appliquer une couche de primer Dupont N° 1104S (7975S Activator, 12375S Reducer) selon I.G. #
 Application du primer

Laisser sécher pendant 3 heures minimum

MAY 08 2007

Heure Début:

Heure Fin:

Sceau:



64.0 AC0058 Polysoft 1.3 kg # 003012 Sikkens

Commentaire Qty.: 0.020 UNITE(s)/Unit Total : 0.020 UNITE(s)
 Polysoft 1.3 kg # 003012 Sikkens

N° de Lot: 1-6079-1

65.0 AC0059 Durcisseur Polysoft #004009 Sikkens

Commentaire Qty.: 0.078 UNITE(s)/Unit Total : 0.078 UNITE(s)
 Durcisseur Polysoft #004009 Sikkens

66.0 FINITION 3 FINITION PIÈCE DART



Commentaire Setup: 0.00Hrs/ Run: 90.0000Min Total Run : 1.5000Hrs
 FINITION GÉNÉRALE

Faire les réparations de finition s'il y a lieu à l'aide du Sikkens

Faire un léger sablage (Grit 220) de toute les surfaces.

Date: 10-5-07 Heure Début: 8:15 Heure Fin: 12:00 Sceau:



Feuille de Procédé

Client: DART Dart Aerospace Ltd.

Nom Dessin: SPACEPOD BODY

Numéro Job: 41309

Numéro Article: DKC134-0055

Numéro Job:



Séq.: Machine ou Opération: Description :

67.0 AAC0671 Dupont Primer N° 1104S

Commentair Qty.: 0.2500 GALLON(s)/Unit Total : 0.2500 GALLON(s)

Dupont Primer N° 1104S N° de Lot: 1-6005-2

68.0 AAC0670 Dupont Activator N° 7975S

Commentair Qty.: 0.5000 PINTE(s)/Unit Total : 0.5000 PINTE(s)

Dupont Activator N° 7975S N° de Lot: 1-6005-1

69.0 AAC0672 Dupont Reducer N° 12375S

Commentair Qty.: 0.0625 GALLON(s)/Unit Total : 0.0625 GALLON(s)

Dupont Reducer N° 12375S N° de Lot: 1-5692-2

70.0 PRÉPARATION 3 PRÉPARATION DU MATÉRIEL DART

Commentair Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs
PRÉPARATION DU MATÉRIEL

Nettoyages Qty / 10-05-07

MAY 10 2007



Bien brasser les trois contenants servant à faire le mélange du primer gris N° 1104S et ensuite faire le mélange selon les instruction du fabricant.

71.0 PEINT/ PRIMER2 PEINTURE / PRIMER DART

Commentair Setup: 0.00Hrs/ Run: 90.0000Min Total Run : 1.5000Hrs
APPLICATION DE PRIMER

Appliquer deux couche de primer Dupont N° 1104S (7975S Activator, 12375S Reducer) selon les instruction du manufacturier, en prenant bien soin d'attendre 10 minutes entre les couches.

Laisser sécher pendant 3 heures minimum

Date: MAY 10 2007

Heure Début:

Heure Fin:

Sceau:



72.0 INSPECTION 3 INSPECTION PIÈCE DART

Commentair Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs
INSPECTION GÉNÉRALEREPRENDRE LA FINITION
RNC: C1249

Faire l'inspection générale de la pièces selon le dessin par le département de la qualité.

Date: 14-5-07 Sceau:Initiales: [Signature]

73.0 EMBALLAGE 3 EMBALLAGE PIÈCE DART

Commentair Setup: 0.00Hrs/ Run: 0.0000Min Total Run : 0.0000Hrs
EMBALLAGE PIÈCE DART

Faire l'emballage dans le contenant approprié.

Date: Jeudi, 2007-03-29 10:33:16
Utilisateur: Marc Dubé

Feuille de Procédé

Client: DART Dart Aerospace Ltd.
Numéro Job: 41309

Nom Dessin: SPACEPOD BODY
Numéro Article: DKC134-0055

Numéro Job:



Séq.:

Machine ou Opération:

Description :

Quantité: 1

Date: 14/5/07

Sceau: 

Quantité: _____

Date: _____

Sceau: _____

Date: Wednesday, 12/20/2006 1:45:34 PM
 User: Kim Johnston

Process Sheet

Customer :	CU-DAR001 Dart Helicopters Services	Drawing Name :	SPACEPOD DOOR RH
Job Number :	30031		
Estimate Number :	12599		
P.O. Number :	N/A	Part Number :	D31862M
This Issue :	12/20/2006	S.O. No. :	N/A
Prsht Rev. :	NC	Drawing Number :	D3186 REV <i>BC</i> <i>16</i> <i>07.01.18</i>
First Issue :	N/A	Project Number :	N/A
Previous Run :	30030	Drawing Revision :	<i>BC</i> <i>16</i> <i>07.01.18</i>
Written By :	<i>JA</i>	Material :	N/A
Checked & Approved By :	<i>JA 061220</i>	Due Date :	1/15/2007
Comment :	Est Rev:A New Issue 06-12-04 ec	Qty:	1 Um: Each

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
----------------	------------------------------	----------------------

1.0	PG	PURCHASING
-----	----	------------



Comment: PURCHASING

Issue P/O: *2767*

Description: D3186-2M Door

Supplier: Delastek

Conformity Certificate and Process sheet required

Ship 3 Items from Previous steps

*C206112121**(1)*

2.0	D31862P	Spacepod Door
-----	---------	---------------



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Spacepod Door

3.0	PACKAGING 1	PACKAGING RESOURCE #1
-----	-------------	-----------------------



Comment: PACKAGING RESOURCE #1

Receive and inspect for transit damage. Ensure a copy of certification of conformity and process sheet from
 Delastek is attached.

EC 7/5/22 (1)

4.0	QC6	DIMENSIONAL CHECK
-----	-----	-------------------



Comment: DIMENSIONAL CHECK

Inspect dimensions as per Dwg D3186 .Visual inspection. Check for void spot and pins.

ml 07/05/22

5.0	PACKAGING 1	PACKAGING RESOURCE #1
-----	-------------	-----------------------



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: *GA**ml 07/05/22*

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: QA Date: 9/16/04
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Wednesday, 12/20/2006 1:45:35 PM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: SPACEPOD DOOR RH

Job Number: 30031

Part Number: D31862M

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

Done 12/20/06 (1)

Job Completion



in 07dec06

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries

DART

DESIGN DS	DRAWN BY LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED PH	APPROVED H	DRAWING NO. D3186	REV. C SHEET 1 OF 5
DATE 06.12.13	TITLE SPACEPOD DOOR		SCALE NTS
A	03.03.27	NEW ISSUE	
B	06.09.25	DIMS UPDATED TO MATCH PRODUCT FOAM PATTERN UPDATED D3186-1M/-2M/-3/-4 ADDED	
C	06.12.13	REMOVED D0600-XXX LABELS	

MAIN LAYUP

9 OZ SATIN (9 SQ FEET)
9 OZ SATIN (9 SQ FEET)
FOAM
9 OZ SATIN (9 SQ FEET)
12 OZ UNIDIRECTIONAL
9 OZ SATIN (9 SQ FEET)
RESIN (35-45% BY WEIGHT)
PEEL PLY

**D3186-1M SPACEPOD DOOR AS MOLDED****RELEASED**
06.12.22**NOTES:**

- 1) USE MOLD DT8005 FOR DOOR LAYUP
- 2) RESIN: EPOCAST 50-A/9816 OR DERAKANE 470-36/411/510A40
- 3) FOAM: 3/8", A500 CORE-CELL OR DIVINYCELL OR AIREX OR KLEGECELL
- 4) FIBRE: 9.7 OZ 7781 WEAVE "S" GLASS ("9 OZ SATIN")
12 OZ UNIDIRECTIONAL FIBERGLASS ("12 OZ UNIDIRECTIONAL")
- 5) LAMINATE PER DART QSI 006 4.0
- 6) LAMINATION SCHEDULE PER THIS DRAWING
- 7) FINISH INSIDE/OUTSIDE WITH DUPONT HIGHBUILD GREY PRIMER 1144-S
- 8) ALL DIMENSIONS ARE IN INCHES
- 9) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

UNCONTROLLED COPY

SUBJECT TO AMENDMENT
WITHOUT NOTICEWORK ORDER
NO. 30031

Copyright © 2003 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN DS	DRAWN BY LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED PH	APPROVED H	DRAWING NO. D3186	REV. C SHEET 2 OF 5
DATE 06.12.13		TITLE SPACEPOD DOOR	SCALE NTS

MAIN LAYUP

9 OZ SATIN (9 SQ FEET)
9 OZ SATIN (9 SQ FEET)
FOAM
9 OZ SATIN (9 SQ FEET)
12 OZ UNIDIRECTIONAL
9 OZ SATIN (9 SQ FEET)
RESIN (35-45% BY WEIGHT)
PEEL PLY

RELEASED
06.12.13**D3186-2M SPACEPOD DOOR AS MOLDED****NOTES:**

- 1) USE MOLD DT8006 FOR DOOR LAYUP
- 2) RESIN: EPOCAST 50-A/9816 OR DERAKANE 470-36/411/510A40
- 3) FOAM: 3/8", A500 CORE-CELL OR DIVINYCELL OR AIREX OR KLEGECELL
- 4) FIBRE: 9.7 OZ 7781 WEAVE "S" GLASS ("9 OZ SATIN")
12 OZ UNIDIRECTIONAL FIBERGLASS ("12 OZ UNIDIRECTIONAL")
- 5) LAMINATE PER DART QSI 006 4.0
- 6) LAMINATION SCHEDULE PER THIS DRAWING
- 7) FINISH INSIDE/OUTSIDE WITH DUPONT HIGHBUILD GREY PRIMER 1144-S
- 8) ALL DIMENSIONS ARE IN INCHES
- 9) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 30031



Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN DS	DRAWN BY <i>LE</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>PH</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3186	REV. C SHEET 3 OF 5
DATE 06.12.13	TITLE SPACEPOD DOOR		SCALE NTS

REFER TO DETAIL 'C'
FOR HOLE DETAILS
(2 SETS)

**NOTES:**

- 1) ALL DIMENSIONS ARE IN INCHES
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. *30031*

Copyright © 2003 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN DS	DRAWN BY LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED PH	APPROVED [Signature]	DRAWING NO. D3186	REV. C SHEET 4 OF 5
DATE 06.12.13	TITLE SPACEPOD DOOR		SCALE NTS

RELEASED
06.12.22

D3186-2 SPACEPOD DOOR. RH
(MAKE FROM D3186-2M)



D3186-4 SPACEPOD DOOR. RH
(MAKE FROM D3186-2M)

NOTES:

- 1) ALL DIMENSIONS ARE IN INCHES
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED


SHOP COPY
FORN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 30031

Copyright © 2003 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.




DESIGN DS	DRAWN BY LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED PH	APPROVED [Signature]	DRAWING NO. D3186	REV. C SHEET 5 OF 5
DATE 06.12.13	TITLE SPACEPOD DOOR		SCALE NTS




DETAIL A



DETAIL B




DETAIL C




NOTE: ENSURE THAT CUTOUT IS PERPENDICULAR TO EDGE OF DOOR

DETAIL D



DETAIL E



DETAIL F

NOTES:

- 1) ALL DIMENSIONS ARE IN INCHES
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
30031
RELEASED
06.12.22

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DELASTEK COMPOSITES INC.
2699, 5ième Avenue
Local 14, PORTE -A-
Grand-Mère, Québec G9T 5K7
Can **Fax (819) 533-3494 **

PACKING SLIP CERTIFICATE OF COMPLIANCE

Invoice #	11931
Customer #	DART

Telephone: (819) 533-5788

Warehouse: MAIN

Bill to:

Dart Aerospace Ltd.
1270, Aberdeen Street
Hawkesbury, Ontario K6A 1K7
Canada

Ship to:

Dart Aerospace Ltd.
1270, Aberdeen Street
Hawkesbury, Ontario K6A 1K7
Canada

Telephone: 613-632-3336

Contact: Linda Lacelle

Ship via		F.O.B.		Terms		Salesperson	
EPIC EXPRESS COLLECT		Origin		Net30 days		Claude Lessard, ext. 233	
Ship date	Order Date	Our PO #	Order by		Your PO #		GST/PST #
14/05/2007	21/12/2006	5092	C. Lavoie		PO00002767		
Order Qty	B.O. Qty	Current Ship.	Item #	Item Description			
1	0	1	DKC134-0052	D3186-1M Spacepod Door LH B30011 Dwg. Rév.: C Job: 41318 U de M : Each			
1	0	1	DKC134-0053	D3188-1M Spacepod Body LH B30021 Dwg. Rév.: C Job: 41300 U de M : Each			
1	0	1	DKC134-0054	D3186-2M Spacepod Door RH B30031 Dwg. Rév.: C Job: 41328 U de M : Each			
1	0	1	DKC134-0055	D3188-2M Spacepod Body RH B30041 Dwg. Rév.: C Job: 41309 U de M : Each			

It is hereby certified that all materials, process and finished items were controlled and tested in accordance with the requirements of the purchase order and applicable specifications. All such records are on file at our plant and available for review upon request.

☒ Cust. ☐ Adm. ☐ Quality ☐ Ship.

Accepted by:

Quality department


AQ-357



Date: Jeudi, 2007-03-29 10:34:12
Utilisateur: Marc Dubé

Feuille de Procédé

Client :	DART Dart Aerospace Ltd.	Nom Dessin :	SPACEPOD DOOR
Numéro Job :	41328	Numéro Article :	DKC134-0054
Numéro Soumission :	2586	Numéro Dessin :	D3186
Numéro B.A. :		Projet Numéro :	DKC134
Cette fois :	2007-03-29 No. B.V. :	Révision dessin :	C
Dernière Rev. :	NC	Matériel :	Fibre 7781 et Résine 411-350
Rem. fois :	--	Date Dûe :	2007-04-05
Objet précédente :	41327	Qté:	1 Udm: UNITE

Approuvé par : 

Vérifié & Approuvé par : _____

Commentaires : N° de pièce Dart Aerospace : D31862M

Process Sheet Rev.: 01 Modification générale selon les informations de l'ingénierie.

Produit additionnel

Numéro Job:



Séq.: Machine ou Opération: Description :


1.0 AC0303 Frekote 44NC

Commentaire Qty.: 0.020 GALLON(s)/Unit Total : 0.020 GALLON(s)
Frekote 44NC

2.0 PRÉPARATION 3 PRÉPARATION DU MATÉRIEL DART

Commentaire Setup: 0.00Hrs/ Run: 5.0000Min Total Run : 0.0833Hrs
PRÉPARATION DU MOULE

Faire la préparation du moule N° DT 8005 à l'aide de Frekote 44NC et laisser sécher pendant 3 heures selon le QSI-006.

Date: 24/04/07 Heure Début: 12:30 Heure Fin: 3:00 Sceau: 

3.0 AC0409 Tissu à délaminer Release ply B

Commentaire Qty.: 3.28 VERGE(s)/Unit Total : 3.28 VERGE(s)
Tissu à délaminer Release ply B

4.0 AC0407 Wrightlon 5200 Bleu P3

Commentaire Qty.: 3.59 VERGE(s)/Unit Total : 3.59 VERGE(s)
Wrightlon 5200 Bleu P3

5.0 AC0408 Feutre de drainage N° Airweave N 10

Commentaire Qty.: 3.00 VERGE(s)/Unit Total : 3.00 VERGE(s)
Feutre de drainage N° Airweave N 10

6.0 AC0752 Stretchlon 200 poche à vide Vert

Commentaire Qty.: 3.00 VERGE(s)/Unit Total : 3.00 VERGE(s)
Stretchlon 200 poche à vide Vert

Date: Jeudi, 2007-03-29 10:34:12

Utilisateur: Marc Dubé

Feuille de Procédé

Client: DART Dart Aerospace Ltd.

Nom Dessin: SPACEPOD DOOR

Numéro Job: 41328

Numéro Article: DKC134-0054

Numéro Job:



Séq.: Machine ou Opération: Description :

7.0 AAC0681 9.7 oz Weave #FG-778150-125Y Volan Finish

Commentair Qty.: 4.500 VERGE(s)/Unit Total: 4.500 VERGE(s)
9.7 oz Weave #FG-778150-125Y Volan Finish

8.0 AAC0443 Fiberglass 12 oz Unidirectional

Commentair Qty.: 1.00 VERGE CAR(s)/Unit Total: 1.00 VERGE CAR(s)
Fiberglass 12 oz Unidirectional N° de Lot: 1-5964-1

9.0 AC0098 Ruban à gommer jaune #: T/AT-200Y

Commentair Qty.: 2.2500 RL(s)/Unit Total: 2.2500 RL(s)
Ruban à gommer jaune #: T/AT-200Y

10.0 PRÉPARATION 3 PRÉPARATION DU MATÉRIEL DART

Commentair Setup: 0.00Hrs/ Run: 30.0000Min Total Run: 0.5000Hrs
TAILLAGE DU MATÉRIEL

Tailler le matériel, selon les différents patrons de découpe:

Appliquer le Ruban jaune tout le tour du stretchlon 200 en laissant le papier sur le coté non en contact avec le sac à vide.

À fin d'accélérer le processus de taillage, tailler les plis de 9.7 oz tous en même temps en les superposants les uns sur les autres.

Date: 24/04/07 Heure Début: 10:15 Heure Fin: 12:00 Sceau:



11.0 AAC0275 Catalyst N° DDM-9

Commentair Qty.: 0.0640 PINTE(s)/Unit Total: 0.0640 PINTE(s)
Catalyst N° DDM-9 N° de Lot: 1-5921-3

12.0 AAC0324 Résine (411B7530) 411-350 promo. 75min.

Commentair Qty.: 0.500 KILOGRAMME(s)/Unit Total: 0.500 KILOGRAMME(s)
Résine (411B7530) 411-350 promo. 75min N° de Lot: 1-6105-1

13.0 PRÉPARATION 3 PRÉPARATION DU MATÉRIEL DART

Commentair Setup: 0.00Hrs/ Run: 5.0000Min Total Run: 0.0833Hrs
PRÉPARATION DU MATÉRIEL

Faire la préparation de la résine selon les quantité requises, mix ration 1.5% de Catalyst N° DDM-9 par quantité de résine N° 411-350.

Date: APR 27 2007 Heure Début: 12:30 Heure Fin: 12:35 Sceau:



Utilisateur: Marc Dubé

Feuille de Procédé

Cient: DART Dart Aerospace Ltd.

Numéro Job: 41328

Nom Dessin: SPACEPOD DOOR

Numéro Article: DKC134-0054

Numéro Job:



Séq.:

Machine ou Opération:

Description :

14.0

LAMINAGE.

LAMINAGE PIÈCE DART



Commentair Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs

FAIRE LE LAMINAGE DES TISSUS

À l'aide d'un rouleau 2" dia. appliquer une couche de résine N° 411-350 sur le moule N° DT 8004 et ensuite imbiber un pli de tissu 9.7oz.

Recommencer l'opération pour le deuxième pli.

Date: APR 27 2007

Heure Début: 12:35

Heure Fin: 12:50

Sceau:



15.0

POCHE À VIDE 1

FAIRE LA POCHE À VIDE



Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

EFFECTUER LA POCHE A VIDE

Faire la poche à vide en appliquant les composantes dans l'ordre suivant:

- 1- Tissu à délaminer,
- 2- Film perforé P-3,
- 3- Feutre de drainage
- 4- Sac à vide Stretchlon 200

Laisser sécher pendant 4 heures minimum.

Date: APR 27 2007

Heure Début: 12:50

Heure Fin: 1:00

Sceau:



Curing Début: 12:35 Curing Fin: 8:00

16.0

AAC0275

Catalyst N° DDM-9

Commentair Qty.: 0.0120 PINTE(s)/Unit Total : 0.0120 PINTE(s)
Catalyst N° DDM-9

N° de Lot: 1-5921-3

17.0

AAC0324

Résine (411B7530) 411-350 promo. 75min.

Commentair Qty.: 0.300 KILOGRAMME(s)/Unit Total : 0.300 KILOGRAMME(s)
Résine (411B7530) 411-350 promo. 75min.

N° de Lot: 1-6105-1

Date: Jeudi, 2007-03-29 10:34:12

Utilisateur: Marc Dubé

Feuille de Procédé

Client: DART Dart Aerospace Ltd.

Nom Dessin: SPACEPOD DOOR

Numéro Job: 41328

Numéro Article: DKC134-0054

Numéro Job:



Séq.: Machine ou Opération: Description :

18.0

PRÉPARATION 3

PRÉPARATION DU MATÉRIEL DART



Commentaire Setup: 0.00Hrs/ Run: 5.0000Min Total Run : 0.0833Hrs

PRÉPARATION DU MATÉRIEL

Faire la préparation de la résine selon les quantité requises, mix ration 1.5% de Catalyst N° DDM-9 par quantité de résine N° 411-350 Imbiber toutes les surfaces du foam core.

Laisse sécher pendant 2 heure.

Date: APR 26 2007

Heure Début: 12:45 Heure Fin: 1:00 Sceau:



19.0

AAC0452

Polybond B46F

Commentaire Qty.: 0.082 KIT(s)/Unit Total : 0.082 KIT(s)

Polybond B46F

N° de Lot: 5979

20.0

DKC134-0057

Foam Core N° D3186-102 (Porte D3186-2)

Commentaire Qty.: 1 UNITE(s)/Unit Total : 1 UNITE(s)

Foam Core N° D3186-102 (Porte D3186-2)

LOT: 1-5826-1

21.0

ASSEMBLAGE 3

ASSEMBLAGE GÉNÉRALE DART



Commentaire Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs

ASSEMBLAGE GÉNÉRALE DES PIÉCES

Retirez le bagging.

Pour aider au positionnement du 12 oz., positionner le gabarit de trimage dans le moule et tracer son contour sur le 9 oz.. Retirer le gabarit de trimage .

Positionner le foam core à l'aide du gabarit prévu à cet effet et tracer son contour sur le 9 oz. (Vous devriez maintenant avoir 2 contours de tracé sur le 9 oz.)

Appliquer une couche de Polybond B64F à l'endos du Foam Core N° DKC134-0057 et positionner le foam Core sur le moule selon le dessin, et selon les ligne de positionnement prévues à cet effet.

Date: MAY 02 2007

Heure Début: 1:30 Heure Fin: 2:00 Sceau:



22.0

POCHE À VIDE 1

FAIRE LA POCHE À VIDE



Commentaire Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

EFFECTUER LA POCHE A VIDE

Faire la poche à vide en appliquant les composantes dans l'ordre suivant:

- 1- Tissu à délaminer
- 2- Feutre de drainage

Date: Jeudi, 2007-03-29 10:34:12

Utilisateur: Marc Dubé

Feuille de Procédé

Client: DART Dart Aerospace Ltd.

Nom Dessin: SPACEPOD DOOR

Numéro Job: 41328

Numéro Article: DKC134-0054

Numéro Job:





Séq.: Machine ou Opération: Description :

3- Sac à vide Stretchlon 200

Laisser sécher pendant 2 heures minimum.

Retirez le bagging avant la fin de la polymérisation (entre 1 heure et 1 heure 1/2) afin d'enlever le surplus de polybond

Date: MAY 02 2007 Heure Début: 2:00 Heure Fin: 2:10 Sceau:  

Curing Début: 1:30 Curing Fin: 2:40

23.0 AAC0275 Catalyst N° DDM-9

Commentair Qty.: 0.0400 PINTE(s)/Unit Total: 0.0400 PINTE(s)
Catalyst N° DDM-9

N° de Lot: 1-5921-3

24.0 AAC0324 Résine (411B7530) 411-350 promo. 75min.

Commentair Qty.: 1.000 KILOGRAMME(s)/Unit Total: 1.000 KILOGRAMME(s)
Résine (411B7530) 411-350 promo. 75min.

N° de Lot: 1-6133-1

25.0 PRÉPARATION 3 PRÉPARATION DU MATÉRIEL DART

Commentair Setup: 0.00Hrs/ Run: 5.0000Min Total Run : 0.0833Hrs
PRÉPARATION DU MATÉRIEL

Faire la préparation de la résine selon les quantité requises, mix ration 1.5% de Catalyst N° DDM-9 par quantité de résine N° 411-350.

Date: MAY 07 2007 Heure Début: 3:15 Heure Fin: 3:20 Sceau: 


26.0 LAMINAGE. LAMINAGE PIÈCE DART

Commentair Setup: 0.00Hrs/ Run: 30.0000Min Total Run : 0.5000Hrs
FAIRE LE LAMINAGE DES TISSUS

Faire le laminage d'un pli de 9.7 oz.

Faire le laminage du pli de tissu de 12 oz tout le tour de la porte.

Faire le laminage du dernier pli de 9.7 oz.

Date: MAY 07 2007 Heure Début: 3:20 Heure Fin: 4:00 Sceau:  

Feuille de Procédé

Client: DART Dart Aerospace Ltd.

Nom Dessin: SPACEPOD DOOR

Numéro Job: 41328

Numéro Article: DKC134-0054

Numéro Job:



Séq.: Machine ou Opération: Description :

27.0 POCHE À VIDE 1 FAIRE LA POCHE À VIDE



Commentaire Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

EFFECTUER LA POCHE A VIDE

Faire la poche à vide en appliquant les composantes dans l'ordre suivant:

- 1- Tissu à délaminer,
- 2- Film perforé P-3,
- 3- Feutre de drainage
- 4- Sac à vide Stretchlon 200

Laisser sécher pendant 4 heures minimum.

Date: MAY 07 2007

Heure Début: 4:00

Heure Fin: 4:15

Sceau:



Curing Début: 3:20 Curing Fin: 8:00

28.0 DÉMOULAGE 1 DÉMOULAGE PIÈCE DART



Commentaire Setup: 0.00Hrs/ Run: 5.0000Min Total Run : 0.0833Hrs

DÉMOULAGE DES PIÈCES

Démouler la pièce en faisant bien attention de ne pas abimer les coins et le " edges ".

Sabler la surface de la pièce qui était en contact avec le le moule afin d'éliminer le fini lisse de celui-ci.

Date: MAY 08 2007

Heure Début: 9:15

Heure Fin: 9:20

Sceau:



29.0 TRIMAGE 3 TRIMAGE COMPOSITES DART



Commentaire Setup: 0.00Hrs/ Run: 30.0000Min Total Run : 0.5000Hrs

TRIMAGE DE FINITION

Trimer les contour de la pièce l'aide du gabarit de trimage prévu à cet effet.

Date: MAY 08 2007

Heure Début: 9:20

Heure Fin: 9:40

Sceau:



30.0 AAC0671 Dupont Primer N° 1104S

Commentaire Qty.: 0.1390 GALLON(s)/Unit Total: 0.1390 GALLON(s)

Dupont Primer N° 1104S

N° de Lot: 1-6069-2

Date: Jeudi, 2007-03-29 10:34:12

Utilisateur: Marc Dubé

Feuille de Procédé

Client: DART Dart Aerospace Ltd.
Numéro Job: 41328

Nom Dessin: SPACEPOD DOOR
Numéro Article: DKC134-0054

Numéro Job:



# Séq.:	Machine ou Opération:	Description :
---------	-----------------------	---------------

31.0	AAC0670	Dupont Activator N° 7975S
------	---------	---------------------------

Commentair Qty.: 0.2800 PINTE(s)/Unit Total : 0.2800 PINTE(s)
Dupont Activator N° 7975S

N° de Lot: 1-6065-1

32.0	AAC0672	Dupont Reducer N° 12375S
------	---------	--------------------------


Commentair Qty.: 0.0350 GALLON(s)/Unit Total : 0.0350 GALLON(s)
Dupont Reducer N° 12375S

N° de Lot: 1-542-2

33.0	PRÉPARATION 3	PRÉPARATION DU MATÉRIEL DART
------	---------------	------------------------------



Commentair Setup: 0.00Hrs/ Run: 0.0000Hrs Total Run : 0.0000Hrs
PRÉPARATION DU MATÉRIEL DART

MAY 08 2007 

Bien brasser les trois contenants servant à faire le mélange du primer gris N° 1104S et ensuite faire le mélange selon les instruction du fabriquant.

34.0	PRÉPARATION 3	PRÉPARATION DU MATÉRIEL DART
------	---------------	------------------------------



Commentair Setup: 0.00Hrs/ Run: 0.0000Hrs Total Run : 0.0000Hrs
PRÉPARATION DU MATÉRIEL DART

Appliquer une première couche de primer Dupont N° 1104S (7975S Activator, 12375S Reducer) Selon I.G.
Application primer

Laisser sécher pendant 3 heures.

Date: MAY 08 2007 Heure Début: _____ Heure Fin: _____ Sceau: 











35.0	FINITION 3	FINITION PIÈCE DART
------	------------	---------------------



Commentair Setup: 0.00Hrs/ Run: 0.0000Min Total Run : 0.0000Hrs
FINITION PIÈCE DART

Faire le sablage de la pièce à l'aide de papier sablé grit 220 afin de corriger les imperfection et enlever le lustre du primer.

Feuille de Procédé

Client: DART Dart Aerospace Ltd.		Nom Dessin: SPACEPOD DOOR	
Numéro Job: 41328		Numéro Article: DKC134-0054	
Numéro Job:			
# Séq.:	Machine ou Opération:	Description :	
36.0	AC0058	Polysoft 1.3 kg # 003012 Sikkens	
Commentaire Qty.: 0.050 UNITE(s)/Unit Total : 0.050 UNITE(s) Polysoft 1.3 kg # 003012 Sikkens			
N° de Lot: <u>1-6079-1</u>			
37.0	AC0059	Durcisseur Polysoft #004009 Sikkens	
Commentaire Qty.: 0.039 UNITE(s)/Unit Total : 0.039 UNITE(s) Durcisseur Polysoft #004009 Sikkens			
38.0	FINITION 3	FINITION PIÈCE DART	
			
Commentaire Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs FINITION GÉNÉRALE			
Faire les réparations de finition s'il y a lieu, à l'aide de Sikkens.			
Date: <u>10-05-07</u> Heure Début: <u>1:15</u> Heure Fin: <u>3:40</u> Sceau: 			
39.0	AAC0671	Dupont Primer N° 1104S	
Commentaire Qty.: 0.1390 GALLON(s)/Unit Total : 0.1390 GALLON(s) Dupont Primer N° 1104S N° de Lot: <u>1-6065-2</u>			
40.0	AAC0670	Dupont Activator N° 7975S	
Commentaire Qty.: 0.2800 PINTE(s)/Unit Total : 0.2800 PINTE(s) Dupont Activator N° 7975S N° de Lot: <u>1-6065-1</u>			
41.0	AAC0672	Dupont Reducer N° 12375S	
Commentaire Qty.: 0.0350 GALLON(s)/Unit Total : 0.0350 GALLON(s) Dupont Reducer N° 12375S N° de Lot: <u>1-6062-2</u>			
42.0	PRÉPARATION 3	PRÉPARATION DU MATÉRIEL DART	
			
Commentaire Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs PRÉPARATION DU MATÉRIEL			
Nettoyages Qty 1 10-05-07 			
MAY 10 2007			
Bien brasser les trois contenants servant à faire le mélange du primer gris N° 1104S et ensuite faire le mélange selon les instruction du fabriquant.			
43.0	PRÉPARATION 3	PRÉPARATION DU MATÉRIEL DART	
			
Commentaire Setup: 0.00Hrs/ Run: 20.0000Min Total Run : 0.3333Hrs APPLICATION DE PRIMER			
Appliquer une deuxième couche de primer Dupont N° 1104S (7975S Activator, 12375S Reducer) Selon I.G. # Application de primer.			
Date: <u>MAY 10 2007</u> Heure Début: _____ Heure Fin: _____ Sceau: 			

Date: Jeudi, 2007-03-29 10:34:12

Utilisateur: Marc Dubé

Feuille de Procédé

Client: DART Dart Aerospace Ltd.
Numéro Job: 41328

Nom Dessin: SPACEPOD DOOR
Numéro Article: DKC134-0054

Numéro Job:



# Séq.:	Machine ou Opération:	Description :
---------	-----------------------	---------------

44.0	INSPECTION 3	INSPECTION PIÈCE DART
------	--------------	-----------------------



Commentaire Setup: 0.00Hrs/ Run: 0.0000Min Total Run : 0.0000Hrs
INSPECTION PIÈCE DART

FINITION A REPRENDRE
RNC: C1248
OK INSPECTION FINALE
14-5-07



Emballage QT 1 14/5/07



Date: Thursday, 5/10/2007 2:31:56 PM
 User: Kim Johnston

Process Sheet

Customer	: CU-DAR001 Dart Helicopters Services	Drawing Name	: SPACEPOD DOOR RH
Job Number	: 32297B01		
Estimate Number	: 12599		
P.O. Number	:	Part Number	: D31862M
This Issue	: 5/10/2007 S.O. No. :	Drawing Number	: D3186 REV.D
Prsht Rev.	: NC	Project Number	: N/A
First Issue	: / / Type : SMALL /MED FAB	Drawing Revision	: D
Previous Run	: 31770B01	Material	:
Written By	:	Due Date	: 5/30/2007 Qty: 1 Um: Each
Checked & Approved By	: <u>07.05.10</u>		
Comment	: Est Rev: A New Issue 06-12-04 ec est rev B rev D dwg 07.03.07 ec		

Additional Product

Job Number:



w/o 30031

Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

1.0	PG	PURCHASING
-----	----	------------



Comment: PURCHASING

Issue P/O: _____

Description: D3186-2M Door

Supplier: Delastek

Conformity Certificate and Process sheet required

Ship 3 Items from Previous steps

2.0	D31862P	Spacepod Door
-----	---------	---------------



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Spacepod Door

3.0	PACKAGING 1	PACKAGING RESOURCE #1
-----	-------------	-----------------------



Comment: PACKAGING RESOURCE #1

Receive and inspect for transit damage. Ensure a copy of certification of conformity and process sheet from Delastek is attached.

4.0	QC6	DIMENSIONAL CHECK
-----	-----	-------------------



Comment: DIMENSIONAL CHECK

Inspect dimensions as per Dwg D3186. Visual inspection. Check for void spot and pins.

5.0	PACKAGING 1	PACKAGING RESOURCE #1
-----	-------------	-----------------------



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: _____

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 5/10/2007 2:31:56 PM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: SPACEPOD DOOR RH

Job Number: 32297B01

Part Number: D31862M

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



WOF 4608

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART


DESIGN DS	DRAWN BY LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED B	APPROVED H	DRAWING NO. D3186	REV. D SHEET 1 OF 5
DATE 07.02.22	TITLE SPACEPOD DOOR		SCALE NTS
A	03.03.27	NEW ISSUE	
B	06.09.25	DIMS UPDATED TO MATCH PRODUCT FOAM PATTERN UPDATED D3186-1M/-2M/-3/-4 ADDED	
C	06.12.13	REMOVED D0600-XXX LABELS	
D	07.02.22	UPDATE DIMENSIONS	

MAIN LAYUP

9 OZ SATIN (9 SQ FEET)
9 OZ SATIN (9 SQ FEET)
FOAM
9 OZ SATIN (9 SQ FEET)
12 OZ UNIDIRECTIONAL
9 OZ SATIN (9 SQ FEET)
RESIN (35-45% BY WEIGHT)
PEEL PLY

RELEASED

07.02.27

**D3186-1M SPACEPOD DOOR AS MOLDED****NOTES:**

- 1) USE MOLD DT8005 FOR DOOR LAYUP
- 2) RESIN: EPOCAST 50-A/9816 OR DERAKANE 470-36/411/510A40
- 3) FOAM: 3/8", A500 CORE-CELL OR DIVINYLCELL OR AIREX OR KLEGECELL
- 4) FIBRE: 9.7 OZ 7781 WEAVE "S" GLASS ("9 OZ SATIN")
12 OZ UNIDIRECTIONAL FIBERGLASS ("12 OZ UNIDIRECTIONAL")
- 5) LAMINATE PER DART QSI 006 4.0
- 6) LAMINATION SCHEDULE PER THIS DRAWING
- 7) FINISH INSIDE/OUTSIDE WITH DUPONT HIGHBUILD GREY PRIMER 1144-S
- 8) ALL DIMENSIONS ARE IN INCHES
- 9) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

SHOP COPY
RETURN TO
ENGINEERING

UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE

WORK ORDER
NO. 32294B01

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART


DESIGN DS	DRAWN BY LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED B	APPROVED H	DRAWING NO. D3186	REV. D SHEET 2 OF 5
DATE 07.02.22		TITLE SPACEPOD DOOR	SCALE NTS

MAIN LAYUP

9 OZ SATIN (9 SQ FEET)
9 OZ SATIN (9 SQ FEET)
FOAM
9 OZ SATIN (9 SQ FEET)
12 OZ UNIDIRECTIONAL
9 OZ SATIN (9 SQ FEET)
RESIN (35-45% BY WEIGHT)
PEEL PLY

RELEASED

07.02.27

**D3186-2M SPACEPOD DOOR AS MOLDED****NOTES:**

- 1) USE MOLD DT8006 FOR DOOR LAYUP
- 2) RESIN: EPOCAST 50-A/9816 OR DERAKANE 470-36/411/510A40
- 3) FOAM: 3/8", A500 CORE-CELL OR DIVINYCELL OR AIREX OR KLEGECELL
- 4) FIBRE: 9.7 OZ 7781 WEAVE "S" GLASS ("9 OZ SATIN")
12 OZ UNIDIRECTIONAL FIBERGLASS ("12 OZ UNIDIRECTIONAL")
- 5) LAMINATE PER DART QSI 006 4.0
- 6) LAMINATION SCHEDULE PER THIS DRAWING
- 7) FINISH INSIDE/OUTSIDE WITH DUPONT HIGHBUILD GREY PRIMER 1144-S
- 8) ALL DIMENSIONS ARE IN INCHES
- 9) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

SHOP COPY
RETURN TO
ENGINEERING

UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE

WORK ORDER
NO. 32297B01



Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN DS	DRAWN BY LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D3186	REV. D SHEET 3 OF 5
DATE 07.02.22	TITLE SPACEPOD DOOR		SCALE NTS

REFER TO DETAIL 'C'
FOR HOLE DETAILS
(2 SETS)

**NOTES:**

- 1) ALL DIMENSIONS ARE IN INCHES
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

SHOP COPY
RETURN TO
ENGINEERING

UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE

WORK ORDER
32297B01

Copyright © 2003 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART


DESIGN DS	DRAWN BY LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED B	APPROVED H	DRAWING NO. D3186	REV. D SHEET 4 OF 5
DATE 07.02.22	TITLE SPACEPOD DOOR		SCALE NTS

RELEASED

07-02-27 H



D3186-2 SPACEPOD DOOR, RH
(MAKE FROM D3186-2M)



D3186-4 SPACEPOD DOOR, RH
(MAKE FROM D3186-2M)

NOTES:

- 1) ALL DIMENSIONS ARE IN INCHES
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

SHOP COPY
RETURN TO
ENGINEERING

UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE

WORK ORDER



NO. 32297B01

Copyright © 2003 by DART AEROSPACE LTD



THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART



DESIGN DS	DRAWN BY LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D3186	REV. D SHEET 5 OF 5
DATE 07.02.22	TITLE SPACEPOD DOOR		SCALE NTS

**DETAIL A****DETAIL B****RELEASED**

07.02.27 [Signature]

**DETAIL C**

NOTE: ENSURE THAT CUTOUT IS
PERPENDICULAR TO EDGE OF DOOR

DETAIL D**DETAIL E****DETAIL F**

SHOP COPY
RETURN TO
ENGINEERING

UNCONTROLLED COPY

SUBJECT TO AMENDMENT
WITHOUT NOTICE

WORK ORDER

32297B01

NOTES:

- 1) ALL DIMENSIONS ARE IN INCHES
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Date: Thursday, 5/10/2007 2:31:53 PM
User: Kim Johnston

Process Sheet

Customer	: CU-DAR001 Dart Helicopters Services	Drawing Name	: SPACEPOD BODY RH
Job Number	: 32297A		
Estimate Number	: 12596		
P.O. Number	:	Part Number	: D31882M
This Issue	: 5/10/2007 S.O. No. :	Drawing Number	: D3188 REV.E
Prsht Rev.	: NC	Project Number	: N/A
First Issue	: 1 / Type : SMALL /MED FAB	Drawing Revision	: E
Previous Run	: 31770A	Material	:
Written By	:	Due Date	: 5/30/2007 Qty: 1 Um: Each
Checked & Approved By	: <u>9/10/2005/10</u>		
Comment	Est Rev:A New issue ecn882 06-11-30 EC est rev B rev D dwg 07.03.07 ec est rev C rev E dwg 07.04.16 EC		

Additional Product

Job Number:



W/O 30041

Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

1.0	D2213	Aluminum Spacer
-----	-------	-----------------



Comment: Qty.: 8.0000 Each(s)/Unit Total : 8.0000 Each(s)
Ship To Delastek

8	D2213	Spacer	Batch: _____
---	-------	--------	--------------

2.0	PG	PURCHASING
-----	----	------------



Comment: PURCHASING
Issue P/O: _____
Description: D3188-2M BODY
SHIP: D2213 Spacers
Supplier: Delastek
Conformity Certificate and Process sheet required
Ship 2 Items from Previous steps

3.0	D31882P	Spacepod Body
-----	---------	---------------



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
Spacepod Body

4.0	PACKAGING 1	PACKAGING RESOURCE #1
-----	-------------	-----------------------



Comment: PACKAGING RESOURCE #1
Receive and inspect for transit damage. Ensure a copy of certification of conformity and process sheet from Delastek is attached.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 5/10/2007 2:31:54 PM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: SPACEPOD BODY RH

Job Number: 32297A

Part Number: D31882M

Job Number:



Seq. #:

Machine Or Operation:

Description :

5.0

QC6

DIMENSIONAL CHECK



Comment: DIMENSIONAL CHECK

Inspect dimensions as per Dwg D3188 .Visual inspection. Check for void spot and pins.

6.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: _____

7.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



Kim Johnston

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART

RELEASED

07.04.02

DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA.		
JB	CB	DRAWING NO.	REV. E	
Ce	✓	D3188	SHEET 1 OF 11	
DATE		TITLE	SCALE	
07.04.02		SPACEPOD BODY	NTS	
A	03.04.03	NEW ISSUE		
B	06.10.06	UPDATED DWG TO MATCH PRODUCT ADDED D3188-1M/-2M/-3M/-5/-6/-7		
C	06.12.13	REMOVED D0600-XXX LABELS		
D	07.02.22	UPDATE DIMENSIONS		
E	07.04.02	ADD. HYSOL/FIBER OPTION ON SHEET 11		

GENERAL NOTES:

- 1) REFERENCE DIMENSIONS MATCH AIRCRAFT CONTOUR AND DOOR OPENING
- 2) LAMINATE PER DART QSI 006. LAMINATION SCHEDULE PER THIS DRAWING
- 3) MATERIALS:

RESIN: EPOCAST 50-A/9816 OR DERAKANE 470-36/411/510A40

FIBER: 9.7 oz 7781 WEAVE "S" GLASS (9 oz SATIN)
12 oz UNIDIRECTIONAL FIBERGLASS ("12 oz UNIDIRECTIONAL")
18 oz ROVING "E" GLASS (18 oz CLOTH)
OWENS CORNING MILLED FIBERS, "E" GLASS
3M K20 GLASS BUBBLESFOAM: A500 CORE CELL
OR DIVINYCELL
OR AIREX
OR KLEGECELL
FILL VOIDS IN FOAM WITH PASTE MADE FROM MILLED FIBERS & RESIN

- 4) MOLD SCHEDULE:

PART	LAYUP	TRIM AND DRILL
D3188-1M/-1/-5	DT8003	DT8501
D3188-2M/-2/-6	DT8004	DT8502
D3188-3M/-3/-7	DT8500	DT8500

- 5) APPLY ANTI-SKID PAINT TO TOP SURFACE OF PODS PER QSI 005 4.4
- 6) FINISH: INSIDE/OUTSIDE WITH GREY DUPONT HIGHBUILD PRIMER 1144-S
- 7) ALL DIMENSIONS ARE IN INCHES



- 8) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

SHR COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO 222971A

DART

07-04-09-11

DETAIL F




D3188-3M SPACEPOD BODY

D3186-1M/-3M NOTES:

- 1) REFERENCE DIMENSIONS ARE FROM DT8003/DT8500 AND DT8501.
2) SEE SHEET #4 FOR SECTION VIEWS.


Copyright © 2003 by DART AEROSPACE LTD

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 32257A

DESIGN JB	DRAWN BY CB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED LE	APPROVED 	DRAWING NO. D3188	REV. E SHEET 3 OF 11
DATE 07.04.02		TITLE SPACEPOD BODY	SCALE NTS

RELEASED

07.04.01



SHOP COPY
RETURN TO
~~ENGINEERING~~
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 32297A

D3186-2M NOTES:
 1) REFERENCE DIMENSIONS ARE FROM DT8004 AND DT8502.
 2) SEE SHEET #4 FOR SECTION VIEWS.


Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.


DART

DESIGN	JB	DRAWN BY	CB	DART AEROSPACE LTD
CHECKED	CE	APPROVED	[Signature]	HAMKESBURY, ONTARIO, CANADA
DATE	07.04.02	TITLE	D3188	REV. E
		SPACEPOD BODY		SHEET 4 OF 11
				SCALE
				NTS


RELEASED
07.04.01




SECTION B-B
(SECTION C-C OPPOSITE)



SECTION A-A
(TYPICAL FLOOR SECTION)



SECTION D-D
(TYPICAL ROOF SECTION IS
SIMILAR BUT WITHOUT INSERTS)



SECTION E-E
(2 PLACES PER POD)



WORK ORDER
570297A
ENGINEERING
CONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
RETURN TO
SPACEPOD BODY

DART

DESIGN JB	DRAWN BY C.B.	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
CHECKED LE	APPROVED A	DRAWING NO. D3188
DATE 07.04.02	TITLE SPACEPOD BODY	REV. E SHEET 5 OF 11 SCALE NTS

RELEASED

07.04.02



D3188-1 SPACEPOD BODY
(MAKE FROM D3188-1M)

NOTES:

- 1) REFERENCE DIMENSIONS REPRESENT HOLES WHICH ARE TRANSFER DRILLED FROM D3186-1 DOOR DURING ASSEMBLY
- 2) SEE SHEET #11 FOR SECTION VIEW

SHOP COPY
RETURN TO
ENGINEERING

UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE


WORK ORDER
NO. **32297A**

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN	DRAWN BY	DART AEROSPACE LTD	
JB	CB	HAWKESBURY, ONTARIO, CANADA.	
CHECKED	APPROVED	DRAWING NO.	REV. E
CE	[Signature]	D3188	SHEET 6 OF 11
DATE	TITLE		SCALE
07.04.02	SPACEPOD BODY		NTS



NOTES:

- 1) REFERENCE DIMENSIONS REPRESENT HOLES WHICH ARE TRANSFER DRILLED FROM D3186-2 DOOR DURING ASSEMBLY
- 2) SEE SHEET #11 FOR SECTION VIEW

ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE

WORK ORDER
NO 32297A


Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Copyright © 2003 by DART AEROSPACE LTD

DART

DESIGN JB	DRAWN BY CB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED LE	APPROVED H	DRAWING NO. D3188	REV. E SHEET 7 OF 11
DATE 07.04.02	TITLE SPACEPOD BODY		SCALE NTS



- NOTES:
- 1) REFERENCE DIMENSIONS REPRESENT HOLES WHICH ARE TRANSFER DRILLED FROM D3186-1 DOOR DURING ASSEMBLY
 - 2) SEE SHEET #11 FOR SECTION VIEW

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 32297A

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DART

DESIGN JB	DRAWN BY CB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED LE	APPROVED [Signature]	DRAWING NO. D3188	REV. E SHEET 8 OF 11
DATE 07.04.02		TITLE SPACEPOD BODY	SCALE NTS

RELEASED

07.04.02 [Signature]

**D3188-5 SPACEPOD BODY
(MAKE FROM D3188-1M)**



NOTES:

- 1) REFERENCE DIMENSIONS REPRESENT HOLES WHICH ARE TRANSFER DRILLED FROM D3186-3 DOOR DURING ASSEMBLY
- 2) SEE SHEET #11 FOR SECTION VIEWS

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 32297A

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.


DART

DESIGN JB	DRAWN BY CB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED LE	APPROVED #	DRAWING NO. D3188	REV. E SHEET 9 OF 11
DATE 07.04.02		TITLE SPACEPOD BODY	SCALE NTS

RELEASED

07.04.09

D3188-6 SPACEPOD BODY
(MAKE FROM D3188-2M)



NOTES:

- 1) REFERENCE DIMENSIONS REPRESENT HOLES WHICH ARE TRANSFER DRILLED FROM D3186-4 DOOR DURING ASSEMBLY
- 2) SEE SHEET #11 FOR SECTION VIEWS

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. **32297A**

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.


DART

DESIGN JB	DRAWN BY CB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED LE	APPROVED [Signature]	DRAWING NO. D3188	REV. E SHEET 10 OF 11
DATE 07.04.02	TITLE SPACEPOD BODY		SCALE NTS

RELEASED

07.04.02

**D3188-7 SPACEPOD BODY
(MAKE FROM D3188-3M)**



NOTE:

- 1) REFERENCE DIMENSIONS REPRESENT HOLES WHICH ARE TRANSFER DRILLED FROM D3186-3 DOOR DURING ASSEMBLY
- 2) SEE SHEET #11 FOR SECTION VIEWS

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO 32297A

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN JB	DRAWN BY C.B.	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED LE	APPROVED [Signature]	DRAWING NO. D3188	REV. E SHEET 11 OF 11
DATE 07.04.02		TITLE SPACEPOD BODY	SCALE NTS


RELEASED

01.04.09 **[Signature]**

INSTALL AKS7-1032-130
INSERTS (29 PLACES)
PER D3188-1T1 (D3188-1/-3/-5/-7)
OR D3188-2T1 (D3188-2/-6)

FOAM
(REF)

SECTION H-H
(TYPICAL FLOOR SECTION)



SECTION I-I
(SECTION J-J OPPOSITE)
(4 PLACES PER POD)

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. **32297A**

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.